1-936119-2 - ACTIVE

#### MQS

TE Internal #: 1-936119-2 Housing for Female Terminals, Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Yellow, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS

#### View on TE.com >

Connectors > Automotive Connectors > Connector Housings > MQS, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: .63 mm [ .025 in ]

Connector System: Wire-to-Wire

Number of Positions: **4** 

Centerline (Pitch): 2.54 mm [.1 in]

All MQS, CONNECTOR HOUSING (557)

## Features

### Product Type Features

Connector & Housing Shape

Connector & Housing Type

Rectangular

Housing for Female Terminals



Connector System	Wire-to-Wire		
Sealable	No		
Hybrid Connector	No		
Primary Locking Feature	Integrated in Housing		
Connector & Contact Terminates To	Wire & Cable		
Configuration Features			
Number of Positions	4		
Number of Rows	1		
Electrical Characteristics			
Operating Voltage	14 VDC		
Nominal Voltage Architecture	12 V, 14 V		
Body Features			
Cable Exit Angle	180°		
Body Material	PBT GF		
Primary Product Color	Yellow		

**C** For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Yellow, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS



## **Contact Features**

Contact Size	.63mm			
Contact Type	Receptacle			
Mating Tab Width	.63 mm[.025 in]			
Mechanical Attachment				
Mounting Feature	Without			
Terminal Position Assurance	No			
Strain Relief	Without			
Mating Alignment Type	Polarized			
Mating Alignment	With			
Connector Mounting Type	Cable Mount (Free-Hanging)			
Housing Features				
Centerline (Pitch)	2.54 mm[.1 in]			
Dimensions				
Product Width	11.5 mm[.452 in]			
Product Length	12.4 mm[.488 in]			
Product Height	17.6 mm[.692 in]			

# Operation/Application

Circuit Application	Signal	
Industry Standards		
Agency/Standard	DIN IEC 512	
Packaging Features		
Packaging Quantity	750	
Packaging Method	Tray	
Other		
Serviceable	Yes	
Connector Position Assurance Capable	Yes	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	

Housing for Female Terminals, Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Yellow, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

#### Solder Process Capability

Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**




# Also in the Series MQS



Housing for Female Terminals, Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Yellow, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS







PCB Headers & Receptacles(206)

# Customers Also Bought



TE Part #348461-1 ECON 3 LC PLUG SILIC	TE Part #776164-6 35POS,AMPSEAL,SOC HSG ASSY,SLD, COD 6	TE Part #173852-1 MULTILOCK, CONNECTOR HOUSING	TE Part #344113-1 WIRE TO BOARD RECPT CONT.
ETE	TE	ETE	
TE Part #1379665-5 TH/.025 CONNECTOR SYSTEM, HOUSING	TE Part #2005097-1 025 RECEPTACLE CONTACT	TE Part #1534191-1 MOS BU-GEH EDS 4P	TE Part #2321519-1 24POS,TH 025,REC HSG ASSY,UNSLD

# Documents

Product Drawings 4POS MQS REC
English
CAD Files 3D PDF
3D
Customer View Model

ENG\_CVM\_CVM\_1-936119-2\_E.2d\_dxf.zip

**C** For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Yellow, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS



English

Customer View Model ENG\_CVM\_CVM\_1-936119-2\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-936119-2\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Micro Quadlok Interconnection System (MQS)

English

Product Specifications Product Specification

English