

AMP | Junior Power Timer, Micro Timer II

TE Internal #: 1-968879-1

Housing for Female Terminals, Wire-to-Wire, 70 Position, .157 in [4 mm] Centerline, Sealable, Black, Signal, Cable Mount (Free-

Hanging), Hybrid

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > TIMER, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 2.8 mm [.11 in] Connector System: Wire-to-Wire

Number of Positions: 70

Centerline (Pitch): 4 mm [.157 in]

All TIMER, CONNECTOR HOUSING (543)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	70
Number of Rows	3
Body Features	
Body Material	PBT GF
Primary Product Color	Black
Contact Features	
Contact Size	1.6mm, 3mm

Receptacle

2.8 mm[.11 in]

Contact Type

Mating Tab Width



Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarization Slot
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	4 mm[.157 in]

Dimensions

Product Width	38.5 mm[1.516 in]
Product Length	135.66 mm[5.341 in]
Product Height	46 mm[1.811 in]
Row-to-Row Spacing	5.9 mm[.232 in]

Operation/Application

Circuit Application	Signal	
Circuit Application	3191101	

Packaging Features

Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













Also in the Series | Junior Power Timer













Busbars & Terminals(1)



Insertion & Extraction Tools(9)



Module Components(8)



Other Automotive Connector Accessories(1)




PCB Headers & Receptacles(1)

Also in the Series | Micro Timer II



Automotive Connector Caps & Covers
(2)



Automotive Connector Locks & Position Assurance(1)




Automotive Housings(29)



Automotive Seals & Cavity Plugs(1)



Automotive Terminals(30)



Customers Also Bought







TE Part #282729-1 SPLASH PROOF CONN. ASS'Y



TE Part #2-1418448-1 3 POS AMP MCP1.5k REC. HSG COD





TE Part #9-1768017-1 EET-0820G-4



TE Part #3-1703839-1 2POS,TAB 2.8X0.8,TAB HSG,ASSY









Documents

Product Drawings

MT2/JPT70P BUGH KPL

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1-968879-1_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_1-968879-1_A2.3d_igs.zip

English

Customer View Model

ENG_CVM_1-968879-1_A2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Housing for Female Terminals, Wire-to-Wire, 70 Position, .157 in [4 mm] Centerline, Sealable, Black, Signal, Cable Mount (Free-Hanging), Hybrid



Timer Interconnection System

English

Product Specifications

70 pos. - Coupling for Junior-Power-Timer Contact & Micro - Timer Contact

English

Product Specification

English