# 2-1718643-1 ACTIVE

### AMP | MCON Interconnection System

TE Internal #: 2-1718643-1

Housing for Female Terminals, Wire-to-Board / Wire-to-Wire / Wire-

to-Device, 2 Position, .157 in [4 mm] Centerline, MCON

Interconnection System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MCON, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1.2 mm [ .047 in ]

Connector System: Wire-to-Board, Wire-to-Device, Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 4 mm [.157 in]

All MCON, CONNECTOR HOUSING (283)

### **Features**

### **Product Type Features**

, , , , , , , , , , , , , , , , , , ,	
Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Device, Wire-to- Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	2
Number of Rows	1
Body Features	
Cable Exit Angle	180°
Body Material	PA
Primary Product Color	Black
Connector Code	В
Contact Features	
Contact Size	1.2mm



Contact Type	Receptacle
Mating Tab Width	1.2 mm[.047 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	Yes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	4 mm[.157 in]
Dimensions	
Product Width	26.5 mm[1.043 in]
Product Length	15 mm[.591 in]
Product Height	14.8 mm[.583 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP6K9K
Degree of Protection  Other	IP6K9K
	IP6K9K Yes

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## Compatible Parts

















Also in the Series | MCON Interconnection System





Automotive Connector Caps & Covers (24)



Automotive Connector Locks & Position Assurance(11)



Automotive Housings(288)



Automotive Seals & Cavity Plugs(4)



Automotive Terminals(113)



Insertion & Extraction Tools(31)



Other Automotive Connector Accessories(6)



PCB Headers & Receptacles(1)


# Customers Also Bought




TE Part #2109102-2 MQS SLD 4P CAP HSG



TE Part #1-2141564-0 10POS, MIXED,REC HSG,ASSY, SEALED,BU



TE Part #1612290-2 0.64 RCPT SEALED AU STRIP



TE Part #2005434-1 025/090 HYB 34P CAP ASSY TE Part #2296537-2 REM MONO1.2 TERMINAL

TE Part #2296537-3
REM MONO 1.2 TERMINAL

TE Part #2328919-3 3POS,MCON 1.2,REC HSG ASSY,SLD

TE Part #2338584-1 ASSY, 2P AKI SQUIB, L-1120 TE Part #2341174-1 AMP MCP 2.8,TERMINAL,SWS, LANCELESS

### **Documents**



### **Product Drawings**

2POS, MCON 1.2 LL REC SEALED

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_2-1718643-1\_E.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-1718643-1\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1718643-1\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

MCON Interconnection System

English

### **Product Specifications**

**Application Specification** 

English

### **Product Environmental Compliance**

**Product Compliance** 

English

**Product Compliance** 

English