


### AMP | LEAVYSEAL

TE Internal #: 1813123-1 Other Automotive Connector Accessories, Alignment Plate, Wireto-Wire, PBT GF, Black, 39 / 62 Position, -40 – 140 °C [-40 – 284 °F], LEAVYSEAL

#### View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Other Connector Accessories > LEAVYSEAL MOUNTING ACCESSORIES



Automotive Connector Accessory Type: Alignment Plate

Connector System: Wire-to-Wire

Primary Product Material: **PBT GF** 

Primary Product Color: Black

Number of Positions: 39, 62

### All LEAVYSEAL MOUNTING ACCESSORIES (8)

# Features

## Product Type Features

Automotive Connector Accessory Type	Alignment Plate
Connector System	Wire-to-Wire
Configuration Features	
Number of Positions	39, 62
Body Features	
Primary Product Material	PBT GF
Primary Product Color	Black
Usage Conditions	
Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
Industry Standards	
UL Flammability Rating	UL 94HB

**C** For support call+1 800 522 6752

# 1813123-1

Other Automotive Connector Accessories, Alignment Plate, Wire-to-Wire, PBT GF, Black, 39 / 62 Position, -40 – 140 °C [-40 – 284 °F], LEAVYSEAL



### Packaging Features

Packaging Quantity	32
Packaging Method	Box
Other	
Serviceable	Yes

## **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**


## 1813123-1

Other Automotive Connector Accessories, Alignment Plate, Wire-to-Wire, PBT GF, Black, 39 / 62 Position, -40 – 140 °C [-40 – 284 °F], LEAVYSEAL






# Also in the Series | LEAVYSEAL





PCB Headers & Receptacles(13)

# Customers Also Bought



# 1813123-1

Other Automotive Connector Accessories, Alignment Plate, Wire-to-Wire, PBT GF, Black, 39 / 62 Position, -40 – 140 °C [-40 – 284 °F], LEAVYSEAL





# Documents

## **CAD** Files

**Customer View Model** ENG\_CVM\_CVM\_1813123-1\_B.2d\_dxf.zip

English

## 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1813123-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1813123-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

## Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

German