

AMP | Micro Timer II

TE Internal #: 1473288-1

Automotive Connector Locks & Position Assurance, Gray, Wire-to-Board / Wire-to-Wire, PA, -40 - 120 °C [-40 - 248 °F], Micro Timer II

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Locks & Position Assurance



Primary Product Color: Gray

Connector System: Wire-to-Board, Wire-to-Wire

Primary Product Material: PA

Operating Temperature Range: -40 - 120 °C [-40 - 248 °F]

Features

Product Type Features

Connector System	Wire-to-Board, Wire-to-Wire
Body Features	
Primary Product Color	Gray
Primary Product Material	PA
Usage Conditions	
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	1200
Packaging Method	Bag
Other	
Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | Micro Timer II



Automotive Connector Caps & Covers (2)



Automotive Connector Locks & Position Assurance(1)




Automotive Housings(29)



Automotive Seals & Cavity Plugs(1)





Customers Also Bought



















Documents

Product Drawings

MICRO TIMER II 6POS SECONDARY

English

CAD Files

Customer View Model

ENG_CVM_1473288-1_A.3d_igs.zip

English

Customer View Model



ENG_CVM_1473288-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_1473288-1_A.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Product Specifications

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English