


AMP | Timer Connector System

TE Internal #: 1379209-2 Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Black, PBT GF, 26 Position, Timer Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover Assembly

Cable Exit Angle: 90° (Right Angle)

Strain Relief: With

Primary Product Color: Black

Primary Product Material: **PBT GF**

Features

Product Type Features

Protection & Strain Relief Accessory Type

Configuration Features

Number of Positions

26

Cover Assembly

Body Features

Cable Exit Angle	90° (Right Angle)
Primary Product Color	Black
Primary Product Material	PBT GF
Mechanical Attachment	
Strain Relief	With
Packaging Features	
Packaging Quantity	280
Packaging Method	Box
Other	
Serviceable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

1379209-2

Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Black, PBT GF, 26 Position, Timer Connector System




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | Timer Connector System


& For support call+1 800 522 6752


1379209-2

Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Black, PBT GF, 26 Position, Timer Connector System









PCB Headers & Receptacles(78)

Quick Disconnects(4)

Customers Also Bought



Documents

C For support call+1 800 522 6752

1379209-2

Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Black, PBT GF, 26 Position, Timer Connector System



Product Drawings

26W COVER ASSEMBLY

English

CAD Files

Customer View Model

ENG_CVM_CVM_1379209-2_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_1379209-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1379209-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

French

Instruction Sheets Instruction Sheet (non U.S.)

French