

## AMP | AMP Auto Squib Products

TE Internal #: 353377-7


Housing for Female Terminals, Wire-to-Board / Wire-to-Device, 2 Position, .122 in [3.1 mm] Centerline, Yellow, AMP Auto Squib

Products

View on TE.com >



Connectors > Automotive Connectors > Connector Housings



Connector & Housing Type: Housing for Female Terminals

Mating Pin Diameter: 1 mm [ .039 in ]

Connector System: Wire-to-Board, Wire-to-Device

Number of Positions: 2

Centerline (Pitch): 3.1 mm [ .122 in ]

## **Features**

## **Product Type Features**

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Device
Sealable	No
Hybrid Connector	No

## **Configuration Features**

Number of Positions	2	
Number of Rows	1	

## **Body Features**

Cable Exit Angle	90°
Body Material	PBT
Primary Product Color	Yellow

### **Contact Features**

Contact Size	1mm
Contact Type	Socket
Mating Pin Diameter	1 mm[.039 in]

### Mechanical Attachment

Mounting Feature With	out
-----------------------	-----



Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	3.1 mm[.122 in]
Dimensions	
Product Width	11 mm[.433 in]
Product Length	12 mm[.472 in]
Product Height	27 mm[1.063 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C[158 °F][167 °F][176 °F]
Operating Temperature Range	-30 - 80 °C[-22 - 176 °F]
Packaging Features	
Packaging Method	Bag
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**









# Also in the Series | AMP Auto Squib Products




Automotive Housings(13)



Automotive Terminals(2)



Other Automotive Connector Accessories(8)



PCB Headers & Receptacles(1)

# Customers Also Bought























## **Documents**

## **Product Drawings**

**SQUIB CONN HSG YELLOW** 

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_353377-7\_D.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_353377-7\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_353377-7\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Product Specification** 

English

**SQUIB CONNECTOR** 

English

SQUIB CONNECTOR

English

**Product Specification** 

English

Housing for Female Terminals, Wire-to-Board / Wire-to-Device, 2 Position, .122 in [3.1 mm] Centerline, Yellow, AMP Auto Squib Products



**Instruction Sheets** 

Instruction Sheet (non U.S.)

English

**Squib Connector** 

English