## AMP | AMP MCP 2.8, AMP MCP Connector System

TE Internal #: 7-968974-1

Housing for Female Terminals, Wire-to-Wire, 18 Position, .197 in [5 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), Hybrid

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > AMP MCP, UNSEALED CONNECTOR HOUSING











Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 2.8 mm [.11 in] Connector System: Wire-to-Wire

Number of Positions: 18

Centerline (Pitch): 5 mm [.197 in]

Nominal Voltage Architecture

All AMP MCP, UNSEALED CONNECTOR HOUSING (187)

## **Features**

#### **Product Type Features**

Troduct Type Feducies	
Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	18
Number of Rows	3
Electrical Characteristics	
Operating Voltage	28 VDC

12 V, 24 V



07/06/2022 08:54AM | Page 2

## **Body Features**

Cable Exit Angle	180°
Body Material	PBT GF
Primary Product Color	Natural
Connector Code	В

#### **Contact Features**

Contact Size	2.8mm
Contact Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]

#### Mechanical Attachment

Mounting Feature	Without
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

# **Housing Features**

Centerline (Pitch)	5 mm[.197 in]
Dimensions	

Product Width	36 mm[1.417 in]
Product Length	36 mm[1.417 in]
Product Height	24 mm[.945 in]
Row-to-Row Spacing	5.5 mm[.217 in]

## **Usage Conditions**

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]

## Operation/Application

## Packaging Features

Packaging Quantity	1000	
--------------------	------	--



Packaging Method Carton

#### Other

Serviceable	No
Connector Position Assurance Capable	No

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts













TE Part # CAT-AM705-T273


AMP MCP, RECEPTACLE AND TAB



# Also in the Series | AMP MCP 2.8



Automotive Connector Caps & Covers
(1)



Automotive Connector Locks & Position Assurance(6)



Automotive Housings(179)



Automotive Seals & Cavity Plugs(1)



Automotive Terminals(6)



Insertion & Extraction Tools(6)



Module Components(1)



PCB Headers & Receptacles(1)

# Also in the Series | AMP MCP Connector System



Automotive Connector Caps & Covers (24)



Automotive Connector Locks & Position Assurance(7)



Automotive Housings(352)



Automotive Seals & Cavity Plugs(6)





Automotive Terminals(125)



Insertion & Extraction Tools(13)



Other Automotive Connector Accessories(2)



PCB Headers & Receptacles(29)

# Customers Also Bought















TE Part #1-2819195-4
2 W ABS CABLE ASSY MBB 4.000

## **Documents**

Product Drawings
MCP2,8 GEH ASSY 18P

English

MCP2,8 GEH ASSY 18P

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_7-968974-1\_F.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_7-968974-1\_F.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_7-968974-1\_F.3d\_stp.zip

Housing for Female Terminals, Wire-to-Wire, 18 Position, .197 in [5 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), Hybrid



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English

Product Environmental Compliance

**Product Compliance** 

English

**Product Compliance** 

English