

MQS

TE Internal #: 936289-2

Housing for Female Terminals, Wire-to-Board, 6 Position, .1 in [2.54 mm] Centerline, Black, Signal, Cable Mount (Free-Hanging), Key E,

MQS

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MQS, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: .63 mm [.024 in]
Connector System: Wire-to-Board

Number of Positions: 6

Centerline (Pitch): 2.54 mm [.1 in]

All MQS, CONNECTOR HOUSING (557)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	6
Number of Rows	1
Body Features	
Cable Exit Angle	90°
Body Material	PA
Primary Product Color	Black
Connector Code	E
Contact Features	
Contact Size	.63mm

Receptacle

Contact Type



Mating Tab Width	.63 mm[.024 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Product Width	18.4 mm[.724 in]
Product Length	17.5 mm[.688 in]
Product Height	19.9 mm[.783 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	250
Packaging Method	Bag
Other	
Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | MQS



Automotive Connector Caps & Covers (131)



Automotive Connector EMC Shielding (2)



Automotive Connector Locks & Position Assurance(29)



Automotive Housings(489)



Automotive Seals & Cavity Plugs(26)



Automotive Terminals(96)



Insertion & Extraction Tools(42)



Other Automotive Connector Accessories(13)





Customers Also Bought







ES-CAP-HW-NO.1-X-35MM



TE Part #2005431-1 025/090 HYB 34P PLUG ASSY

TE Part #1-2355507-1 3POS,MCON 1.2,REC HSG ASSY,SLD, COD A

TE Part #2-2355507-1 3POS,MCON 1.2,REC HSG ASSY,SLD, COD A TE Part #2109517-1 025/060/110 HYB 25P CAP ASSY

Documents

Product Drawings
6POS MQS REC COD E

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_936289-2_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_936289-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_936289-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Housing for Female Terminals, Wire-to-Board, 6 Position, .1 in [2.54 mm] Centerline, Black, Signal, Cable Mount (Free-Hanging), Key E, MQS



Datasheets & Catalog Pages

Micro Quadlok Interconnection System (MQS)

English

Product Specifications

Product Specification

English