




Terminals & Splices > Automotive Terminals > TIMER, RECEPTACLE AND TAB



Terminal Type: **Receptacle**

Mating Tab Width: **4.8 mm, 5.8 mm [.189 in, .228 in]**

Mating Tab Thickness: **.8 mm [.031 in]**

Terminal Transmits: **25 – 40 A (Power)**

Wire Size: **12 – 11 AWG**

[All TIMER, RECEPTACLE AND TAB \(346\)](#)

Features

Product Type Features

Sealable	No
Primary Locking Feature	Locking Lance

Contact Features

Typical Current Rating	40 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	4.8 mm, 5.8 mm [.189 in][.228 in]
Mating Tab Thickness	.8 mm [.031 in]
Interface Plating	Tin (Sn)
Contact Termination Area Plating Material	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	3 – 4 mm ²
Wire Size Search	11 AWG, 12 AWG
Wire Insulation Diameter	2.7 – 3.7 mm [.106 – .145 in]



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C [-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Agency/Standard	IEC 664/664A (DIN VDE 0110)
-----------------	-----------------------------

Packaging Features

Packaging Method	Reel
Packaging Quantity	2200

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 4-1579007-3
EXTRACTION TOOL KIT



TE Part # 1-1579007-6
EXTRACTION TOOL



TE Part # 2305570-1
TERMINAL CUTTER, SIDE FEED



TE Part # CAT-T4827-CH8172
TIMER, CONNECTOR HOUSING



TE Part # CAT-M9194-CH8172
MULTILOCK, CONNECTOR HOUSING



TE Part # 1380006-1
MINI RELAY SUPPORT



TE Part # 2-2151171-1
OCEAN_2.0_APPLICATOR-S-130F160F



TE Part # 2-2151171-2
OCEAN_2.0_APPLICATOR-S-130F160F



TE Part # 2-2266036-1
OCEAN_2.0_Applicator-S-130F160OV



TE Part # 2-2266036-2
OCEAN_2.0_Applicator-S-130F160OV



TE Part # 2151171-1
OCEAN_2.0_APPLICATOR-S-130F160F



TE Part # 2151171-2
OCEAN_2.0_APPLICATOR-S-130F160F



TE Part # 2266036-1
OCEAN_2.0_Applicator-S-130F160OV



TE Part # 2266036-2
OCEAN_2.0_Applicator-S-130F160OV



TE Part # 282159-1
FUSE HOLDER W/S LOCK STD



TE Part # 7-2151171-2
OCEAN_2.0_APPLICATOR-S-130F160F



KIT

REPRESENTATION ONLY

TE Part # 7-2151171-7
OCEAN_2.0_SPARE_PART_KIT-130F160F



TE Part # 7-2266036-1
OCEAN_2.0_Applicator-S-130F160OV



TE Part # 7-2266036-2
OCEAN_2.0_Applicator-S-130F160OV




KIT


REPRESENTATION ONLY

TE Part # 7-2266036-7
OCEAN_2.0_SPARE_PART_KIT-130F160OV


Also in the Series | Standard Power Timer




Automotive Housings(31)



Automotive Terminals(54)



Busbars & Terminals(3)



Insertion & Extraction Tools(1)



Module Components(8)

Customers Also Bought



TE Part #1393365-2
GET .64 CONNECTOR SYSTEM, RECEPT AND TAB




TE Part #1241406-1
AMP MCP 6.3/4.8K, CONTACT



TE Part #2005372-3
MT-II SLD 6P PLUG ASSY GRAY



TE Part #1207894011
CGAT-39/13-0-SP



TE Part #280289-5
MODULAR RELAY CONN.



TE Part #1338692-2
ANVIL



TE Part #2-936060-1
2.8MM SLD 3P PLUG ASSY



TE Part #7-2151835-7
OCEAN_2.0_SPARE_PART_KIT-055F070O



Documents

Product Drawings

[SPT REC 6.3 Contact SRC Sn](#)

English

[SPT REC 6.3 Contact SRC Sn](#)

German

CAD Files

Customer View Model

[ENG_CVM_CVM_927829-2_D.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_927829-2_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_927829-2_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Timer Interconnection System](#)

English

Product Specifications

[Application Specification](#)

German

[Application Specification](#)

English

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)



English