MQS

TE Internal #: 936126-1

Housing for Male Terminals, Wire-to-Wire, 14 Position, .1 in [2.54 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-

Hanging), Key 1, MQS

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MQS, CONNECTOR HOUSING



Connector & Housing Type: Housing for Male Terminals

Mating Tab Width: .63 mm [.025 in]
Connector System: Wire-to-Wire

Number of Positions: 14

Centerline (Pitch): 2.54 mm [.1 in]

All MQS, CONNECTOR HOUSING (557)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	14
Number of Rows	2
Body Features	
Cable Exit Angle	180°
Body Material	PBT GF
Primary Product Color	Black
Connector Code	1
Contact Features	

.63mm

Contact Size



Contact Type	Tab
Mating Tab Width	.63 mm[.025 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Product Width	29 mm[1.14 in]
Product Length	22.6 mm[.889 in]
Product Height	16.5 mm[.649 in]
Row-to-Row Spacing	3.4 mm[.133 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	200
Packaging Method	Tray
Other	
Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223)



	Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series MQS



Automotive Connector Caps & Covers (131)



Automotive Connector EMC Shielding (2)



Automotive Connector Locks & Position Assurance(29)



Automotive Housings(489)





Automotive Seals & Cavity Plugs(26)



Automotive Terminals(96)




Insertion & Extraction Tools(42)




Other Automotive Connector Accessories(13)



Customers Also Bought



TE Part #1473413-1 025 G 24POS CAP ASSY W TO W



TE Part #936133-1 090III 26P CAP ASSY



TE Part #936607-1

2.8MM MCP-E REC CONT



TE Part #6-928918-1 MQS0,63 Sn tab LL unseal. 0,2-0,35



TE Part #1-1897255-2 SLOT CLIP FOR J300 / 090 TYPE



TE Part #2236269-1 24POS, MIXED,REC HSG, 20GENYMCP,ASSY,CODA

TE Part #2005330-1 025/090/110 HYB 24P CAP ASSY TE Part #1-2355507-1 3POS,MCON 1.2,REC HSG ASSY,SLD, COD A

TE Part #2005327-1 025/090/110 HYB 24P PLUG ASSY

TE Part #2005434-1 025/090 HYB 34P CAP ASSY

Documents



Product Drawings

14POS MQS TAB

English

CAD Files

Customer View Model

ENG_CVM_CVM_936126-1_O.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_936126-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_936126-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Micro Quadlok Interconnection System (MQS)

English

Product Specifications

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English