
1-215915-6 - ACTIVE

## AMP-LATCH TE Internal #: 1-215915-6 Ribbon Cable Connectors, Wire-to-Board, 16 Position, .1 in [2.54 mm] Centerline, Insulation Displacement (IDC), 2 Row, Receptacle View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > Ribbon Cable Connectors



#### Connector System: Wire-to-Board

Number of Positions: 16

Centerline (Pitch): 2.54 mm [.1 in]

Termination Method to Wire & Cable: Insulation Displacement (IDC)

Row-to-Row Spacing: 2.54 mm [.1 in]

### Features

#### **Product Type Features**

Connector Product Type	Connector Assembly	
Connector System	Wire-to-Board	
Connector & Housing Type	Receptacle	
Connector & Contact Terminates To	Wire & Cable	

#### **Configuration Features**

Compatible With Wire & Cable Type	Ribbon Cable				
Number of Positions	16				
Number of Rows	2				
Contact Features					
Mating Square Post Dimension	.64 mm[.025 in]				
Mating Pin Diameter	.64 mm[.025 in]				
Wire Contact Termination Area Plating Thickness	2.54 μm[100 μin]				
Wire Contact Termination Area Plating Material	Tin				
	30 µin				
Contact Mating Area Plating Material	Gold				
Contact Current Rating (Max)	1 A				
Termination Features					
Termination Method to Wire & Cable	Insulation Displacement (IDC)				
Mechanical Attachment					

**C** For support call+1 800 522 6752

### 1-215915-6

Ribbon Cable Connectors, Wire-to-Board, 16 Position, .1 in [2.54 mm] Centerline, Insulation Displacement (IDC), 2 Row, Receptacle



Mating Alignment Type	Polarization				
Mating Retention	Without				
Connector Mounting Type	Cable Mount (Free-Hanging)				
Housing Features					
Housing Color	Gray				
Centerline (Pitch)	2.54 mm[.1 in]				
Dimensions					
Row-to-Row Spacing	2.54 mm[.1 in]				
Usage Conditions					
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]				
Operation/Application					
Circuit Application	Signal				
Product Compliance					
For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Not Compliant				
EU ELV Directive 2000/53/EC	Not Compliant				

EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (13% in Component Part) Aticle Safe Usage Statements Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

### 1-215915-6

Ribbon Cable Connectors, Wire-to-Board, 16 Position, .1 in [2.54 mm] Centerline, Insulation Displacement (IDC), 2 Row, Receptacle



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## Compatible Parts



# Customers Also Bought



= TE			
TE Part #61116-1 CMNL PIN 24-18 PTBR	TE Part #927852-7 PL 250 REC TERMINAL 20-17 AWG PTPPB	TE Part #827551-3 JUNIOR TIMER CONNECTOR-HSG	TE Part #3-2176374-8 RQ 0805 261R 0.1% 10PPM 1K RL



## Documents

Product Drawings AMP-LATCH 15.2 HIGH TAPE

English

#### 1-215915-6

Ribbon Cable Connectors, Wire-to-Board, 16 Position, .1 in [2.54 mm] Centerline, Insulation Displacement (IDC), 2 Row, Receptacle



## CAD Files

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-215915-6\_F.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-215915-6\_F.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-215915-6\_F.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application of AMP-LATCH, Ribbon Cable Connectors

English

**Application Specification** 

English

Product Environmental Compliance

**Product Compliance** 

English

**Product Compliance** 

English