
1-172211-0 - ACTIVE

TE Internal #: 1-172211-0 Housing, Plug, Wire-to-Board, 10 Position, 2.5 mm [.098 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Plug Connector System: Wire-to-Board Number of Positions: 10 Centerline (Pitch): 2.5 mm [.098 in]

Features

Product Type Features

| Connector Product Type | Housing | | | |
|-----------------------------------|---------------|--|--|--|
| Connector & Housing Type | Plug | | | |
| Connector System | Wire-to-Board | | | |
| Sealable | No | | | |
| Connector & Contact Terminates To | Wire & Cable | | | |
| Configuration Features | | | | |
| Number of Positions | 10 | | | |
| Number of Rows | 1 | | | |
| Electrical Characteristics | | | | |
| Insulation Resistance | 500 ΜΩ | | | |
| Operating Voltage | 250 VAC | | | |
| Body Features | | | | |
| Connector Profile | Standard | | | |
| Contact Features | | | | |
| | | | | |

Housing, Plug, Wire-to-Board, 10 Position, 2.5 mm [.098 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



| Contact Layout | Inline | |
|------------------------------------|----------------------------|--|
| Contact Type | Pin | |
| Contact Current Rating (Max) | 2 A | |
| Termination Features | | |
| Termination Method to Wire & Cable | Crimp | |
| Mechanical Attachment | | |
| Strain Relief | Without | |
| Panel Mount Feature | Without | |
| PCB Mount Retention | Without | |
| Mating Retention Type | Lock | |
| Mating Retention | With | |
| Connector Mounting Type | Cable Mount (Free-Hanging) | |
| Housing Features | | |
| Housing Material | Nylon 6/6 | |
| Centerline (Pitch) | 2.5 mm[.098 in] | |
| Housing Color | Natural | |
| | | |

Dimensions

| Connector Length | 27.7 mm | | | |
|---|--------------------------|--|--|--|
| Connector Height | 6.4 mm | | | |
| Usage Conditions | | | | |
| Operating Temperature Range | -20 – 95 °C[-4 – 203 °F] | | | |
| Operation/Application | | | | |
| Circuit Application | Power & Signal | | | |
| Industry Standards | | | | |
| UL Flammability Rating | UL 94V-0 | | | |
| Packaging Features | | | | |
| Packaging Quantity | 1000 | | | |
| Packaging Method | Bag | | | |
| | | | | |
| Product Compliance | | | | |
| For compliance documentation, visit the product page on TE.com> | | | | |
| EU RoHS Directive 2011/65/EU | Compliant | | | |

L For support call+1 800 522 6752

Housing, Plug, Wire-to-Board, 10 Position, 2.5 mm [.098 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal




| EU ELV Directive 2000/53/EC | Compliant | |
|---|---|--|
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold | |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC | |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free | |
| Solder Process Capability | Not applicable for solder process capability | |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Housing, Plug, Wire-to-Board, 10 Position, 2.5 mm [.098 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal







Customers Also Bought



| EIS CAP HSG FREE HANG 4P NATUTURAL | EIS REC. HSG 6P-NATURAL | EIS CONTACT | EIS REC. HSG 3P-NATURAL |
|---------------------------------------|--------------------------|---------------------------------------|---------------------------------------|
| | | | |
| TE TE | TE TE | ETE | TE |
| TE Part #171822-2 | TE Part #1-171822-0 | TE Part #172211-3 | TE Part #172211-2 |
| EIS REC. HSG 2P-NATURAL | EIS REC. HSG 10P-NATURAL | EIS CAP HSG FREE HANG 3P NATUTURAL | EIS CAP HSG FREE HANG 2P NATUTURAL |



Documents

Housing, Plug, Wire-to-Board, 10 Position, 2.5 mm [.098 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



Product Drawings 10P CAP HSG F/H EI S CONN.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-172211-0_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-172211-0_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-172211-0_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages 1-1773972-5_EIS_Connectors_Brochure

English

Product Specifications Crimping of AMP El Series Connector Contacts

Japanese

Application Specification

Japanese

Product Environmental Compliance

Product Compliance

English

Product Compliance

English