

1-794606-2 ✓ ACTIVE

MATE-N-LOK | Micro MATE-N-LOK

TE Internal #: 1-794606-2

Power Contacts, Contact, 250 VAC, 250 VDC, Gold, 24 – 20 AWG

Wire Size, .2 – .5 mm<sup>2</sup> Wire Size, Wire-to-Wire, Wire & Cable,

Crimp, Micro MATE-N-LOK

[View on TE.com >](#)



Connectors > Power Connectors > Power Contacts



Power Contact Type: **Contact**

Operating Voltage: **250 VDC**

Contact Mating Area Plating Material: **Gold**

Wire Size: **24 – 20 AWG**

## Features

### Product Type Features

Power Contact Type	Contact
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

### Electrical Characteristics

Operating Voltage	250 VDC
-------------------	---------

### Contact Features

Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	5 A
Contact Type	Receptacle
Contact Retention Within Housing	With
Mating Square Post Dimension	.64 mm[.025 in]
Contact Base Material	Phosphor Bronze
Contact Mating Area Plating Material Thickness	.76 µm[30 µin]
Contact Mating Area Plating Material Finish	Bright
Wire Contact Termination Area Plating Thickness	2.54 µm[100 µin]



Wire Contact Termination Area Plating Material	Tin
Wire Contact Termination Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 µm[50 µin]

### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

### Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance
Connector Mounting Type	Cable Mount (Free-Hanging)
Wire Insulation Support	Without

### Dimensions

Wire Size	.2 – .5 mm <sup>2</sup>
Accepts Wire Insulation Diameter Range	.89 – 1.52 mm[.035 – .06 in]

### Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Power
---------------------	-------

### Industry Standards

VDE Tested	Yes
Agency/Standard	VDE

### Packaging Features

Packaging Method	Reel
Packaging Quantity	15000

### Other

Wire/Cable Type	Discrete Wire
Wire Type	Stranded

### Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>









EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

 <p>TE Part # 91501-1 CCII MICRO MNL REC 24-20 ASSY</p>	 <p>Was called: SDE PEW 12 Now renamed as: SDE SA (no other physical changes)</p> <p>TE Part # 91391-1 SDE PEW 12MICRO MNL HAND TOOL</p>	 <p>TE Part # 843996-6 TOOL, EXTRACTION RESET</p>	 <p>TE Part # 2151022-1 OCEAN_2.0_APPLICATOR-S-055F070F</p>
 <p><b>KIT</b></p> <p>TE Part # 7-2151022-7 OCEAN_2.0_SPARE_PART_KIT-055F070F</p>	 <p>TE Part # 91391-2 SDE COMM MICRO MNL DIE SET</p>	 <p>TE Part # 2151022-2 OCEAN_2.0_APPLICATOR-S-055F070F</p>	 <p>TE Part # 91501-3 CCII MICRO MNL REC 24-20 HEAD</p>



Also in the Series | **Micro MATE-N-LOK**



Customers Also Bought







TE Part #928083-1  
PL 187 REC HSG 1P NYLON NAT



TE Part #280621-1  
MOD I CRIMP CONTACT



TE Part #770077-1  
04P .093 COMM P&S PLUG HSG



TE Part #928909-3  
PL 250 RECEPTACLE 0.2-0.5 MM2 NP CUSN4



TE Part #913274-3  
INS CRIMPER



TE Part #ELM-4002  
EMITTER ASSEMBLY

## Documents

### Product Drawings

[MICRO MNL RPT CNT STRP 30AU LF](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_1-794606-2\\_K.2d\\_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1-794606-2\\_K.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-794606-2\\_K.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[SOFT\\_SHELL\\_PIN\\_AND\\_SOCKET\\_CONNECTORS\\_CATALOG](#)

English

[MICRO MATE-N-LOK CONNECTOR SYSTEM](#)

English

[1773458-4\\_MICRO\\_MATE\\_N\\_LOK\\_CONNECTOR\\_SYSTEM\\_ORG](#)

English

### Product Specifications



### Application Specification

English

---

### Product Environmental Compliance

[MD\\_1-794606-2\\_07182018530\\_dmtec](#)

English

[MD\\_1-794606-2\\_07182018530\\_dmtec](#)

English