




Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Plug**

Connector System: **Wire-to-Board**

Number of Positions: **11**

Centerline (Pitch): **3.96 mm [.156 in]**

Features

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	11
Number of Rows	1

Electrical Characteristics

Dielectric Withstanding Voltage (Max)	1500 VAC
Operating Voltage	250 VDC
Insulation Resistance	1000 MΩ

Contact Features

Contact Layout	Inline
----------------	--------



Contact Current Rating (Max)	8 A
Contact Retention Within Housing	Without
Contact Type	Receptacle

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Strain Relief	Without
Mating Alignment	Without
Connector Mounting Type	Board Mount
Mating Retention	With
Mating Retention Type	Latch, Locking Latch

Housing Features

Centerline (Pitch)	3.96 mm[.156 in]
Housing Color	Natural
Housing Material	Nylon 66

Dimensions

Width	13.3 mm[.524 in]
Accepts Wire Insulation Diameter Range	1.7 – 3 mm[.067 – .118 in]
Height	10.5 mm[.413 in]
Length	43.5 mm[1.713 in]

Usage Conditions

Operating Temperature Range	-25 – 105 °C[-13 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Method	Bag
Packaging Quantity	700



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1318912-1
EP CONN LP REC



TE Part # 1123721-2
ECONOMY POWER CONN REC CONT














TE Part # 1-1318300-1
3.96 EP HDR ASSY 11P NAT/TUBE




TE Part # 1-1123723-1
3.96 EP HDR ASSY 11P(NATURAL)




 TE Part # 1-1744416-1 11 POS EP II HSG, GLOW WIRE	 TE Part # 1123721-1 EP CONN. REC CONTACT	 TE Part # 1-647676-1 3.96 EP HDR ASSY 11P R/A	 TE Part # 1-1744055-1 3.96 EP HDR ASSY 11P VERT HT
 TE Part # 1-1744056-1 3.96 EP HDR ASSY 11P R/A HT	 TE Part # 1-1744057-1 3.96 EP HDR ASSY 11P W/PEGS	 TE Part # 1123721-4 EP CONN. REC CONTACT	 TE Part # 2-1123723-1 3.96 EP HDR ASSY 11P(YELLOW)
 TE Part # 4-1123723-1 3.96 EP HDR ASSY 11P(RED)	 TE Part # 5-1123724-6 7.92MM PITCH EP CONN.	 TE Part # 6-1123724-6 7.92MM PITCH EP CONN.	 TE Part # 7-1123722-1 3.96 EP PLUG HSG 11P(GWT750)
 TE Part # 7-1123722-4 3.96 EP PLUG HSG 4P(NATURAL)	 TE Part # 1-1734087-1 11p HPI 3.96 RECEPTACLE HSG,	 TE Part # 1-1744109-6 EP HDR ASSY 11P omit 2&4&6&8&10, natural	 TE Part # 3-1734087-1 11p HPI 3.96 RECEPTACLE HSG, Black

Also in the Series

Economy Power

 Connector Contacts(1)	 Insertion & Extraction Tools(1)	 PCB Headers & Receptacles(166)	 PCB Latches, Locks & Retainers(2)
--	--	---	--



Power Contacts(8)



Rectangular Connector Housings(1)



Rectangular Power Connectors(285)



Wire-to-Board Connector Assemblies & Housings(64)



Wire-to-Board Connector Contacts(6)


Customers Also Bought



TE Part #3-1415353-1
SR6M4024




TE Part #350784-1
15P UMNL CAP HSG



TE Part #170365-3
MINI UNIVERSAL M-N-L SOCKET LP



TE Part #1-171825-2
POST HDR ASSY VERT AMP EI CONN




TE Part #1-480764-0
05P UMNL CAP HSG NATL



TE Part #350762-4
06P UMNL HDR ASSY PC




TE Part #1-1123722-3
3.96 EP PLUG HSG 3P(NATURAL)



TE Part #170429-3
SERIE EI STIFTKONT



TE Part #5-2176230-4
3522 22K 5% 3W



TE Part #5558503-1
MJ ASSY,4P,8 POS,CAT 5E,PCB GND

Documents



Product Drawings

3.96 EP PLUG HSG 11P(NATURAL)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1123722-1_N.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1123722-1_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1123722-1_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1-1773885-9 Economy Power Connectors

English

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English

Instruction Sheets

Instruction Sheet (non U.S.)

Japanese

Economy Power (EP) Connector

Japanese

Agency Approvals

UL Report

English