



AMP-LATCH

TE Internal #: 1-499252-2


TE Internal Description: 030 STRAIN RELIEF A-L RCPT

Bus Connector: Strain Relief, ATA

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > Ribbon Connector Accessories >

Bus Connector: Strain Relief, ATA



Flat Flexible Cable Accessory Type: **Strain Relief**

Number of Positions: **30**

[All Bus Connector: Strain Relief, ATA \(13\)](#)

Features

Product Type Features

Flat Flexible Cable Accessory Type	Strain Relief
------------------------------------	---------------

Configuration Features

Number of Positions	30
---------------------	----

Body Features

Primary Product Material	Thermoplastic
--------------------------	---------------

Primary Product Color	Black
-----------------------	-------

Dimensions

Product Width	6.1 mm[.24 in]
---------------	----------------

Product Length	42.93 mm[1.69 in]
----------------	-------------------

Product Height	14.76 mm[.581 in]
----------------	-------------------

Industry Standards

CSA File Number	LR 7189
-----------------	---------

Agency/Standard	CSA, UL
-----------------	---------

UL Rating	Recognized
-----------	------------



UL File Number E28476

Packaging Features

Packaging Quantity	1
Packaging Method	Bag & Box

Other

Comment	Receptacle Connector
---------	----------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-AM74-UN384H
AMP-LATCH UNIVERSAL HEADERS



TE Part # 1658621-7
30 NOVO MIL/CTR 15DP, LEAD FREE



TE Part # 3-1761603-0
IDC LOW PRO HDR 30P VERT BLUE



TE Part # 1-1761606-0
IDC LOW PRO HDR 30P VERT LG LA



TE Part # 1658620-7
30 NOVO MIL 15DP, LEAD FREE



TE Part # 1658622-7
30 NOVO MIL/CTR 30DP, LEAD FREE



TE Part # 1658623-7
30 NOVO MIL 30DP, LEAD FREE



TE Part # 2-111446-1
030 UNIV I/O 30DP NO EARS



TE Part # 1658624-7
30 NOVO DUAL 30DP, LEAD FREE



TE Part # 2-111504-0
030 UNIV I/O 30DP NO EARS LTCH



TE Part # 3-1761712-0
IDC LOW PRO HDR 30P RA LG LAT

Customers Also Bought



TE Part #3-644042-2
Nylon Gold Plated Receptacle: 2.54 mm, With Mating Alignment, MTA 100



TE Part #4-640431-2
12P MTA156 CONN ASSY 18AWG ORA



TE Part #3-641435-2
02P MTA156 CONN ASSY ORNG



TE Part #1-350766-1
03P UMNL V0 PLUG HSG BROWN



TE Part #3-644460-7
07P MTA156 CONN ASSY 18AWG ORA



TE Part #3-644662-3
03P MTA156 CONN ASSY 22AWG LF



TE Part #3-644284-5
05P MTA156 ASSY 18AWG ORA LF

Documents



Product Drawings

030 STRAIN RELIEF A-L RCPT

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1-499252-2_AL.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1-499252-2_AL.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-499252-2_AL.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Ribbon Cable Interconnect Solutions

English

Product Specifications

Application Specification

English

Product Environmental Compliance

[MD_1-499252-2_06232014610_dmtec](#)

English

[MD_1-499252-2_06232014610_dmtec](#)

English
