


Multilock Connector System

TE Internal #: 1-1743089-3 Housing for Female Terminals, Wire-to-Wire, 39 Position, .157 in / . 098 in [2.5 mm / 4 mm] Centerline, Gray, Power, Multilock Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MULTILOCK, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1 mm, 2.28 mm, 6.35 mm [.04 in, .09 in, .25 in]

Connector System: Wire-to-Wire

Number of Positions: 39

Centerline (Pitch): 2.5 mm, 4 mm [.098 in, .157 in]

All MULTILOCK, CONNECTOR HOUSING (576)

Features

Product Type Features

Connector & Housing Shape

Connector & Housing Type

Rectangular

Housing for Female Terminals

Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	Yes
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	39
Number of Rows	3
Body Features	
Cable Exit Angle	180°
Body Material	PBT GF
Primary Product Color	Gray
Contact Features	
Contact Size	1mm, 2.3mm, 6.3mm
Contact Type	Receptacle
Mating Tab Width	1 mm, 2.28 mm, 6.35 mm[.04 in][.09 in][.25

C For support call+1 800 522 6752

07/11/2022 06:26AM | Page 1

Housing for Female Terminals, Wire-to-Wire, 39 Position, .157 in / .098 in [2.5 mm / 4 mm] Centerline, Gray, Power, Multilock Connector System



	inl
	in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarization Slot
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.5 mm, 4 mm[.098 in][.157 in]
Dimensions	
Product Width	28.2 mm[1.11 in]
Product Length	60.5 mm[2.38 in]
Product Height	32.6 mm[1.28 in]
Row-to-Row Spacing	5.2 mm[.204 in]
Operation/Application	
Circuit Application	Power

Packaging Features

Packaging Quantity	42
Packaging Method	Tray
Other	
Serviceable	No
Connector Position Assurance Capable	No
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
	Compliant Compliant
EU RoHS Directive 2011/65/EU	

Housing for Female Terminals, Wire-to-Wire, 39 Position, .157 in / .098 in [2.5 mm / 4 mm] Centerline, Gray, Power, Multilock Connector System



SVHC > Threshold: Not Yet Reviewed

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Solder Process Capability

Halogen Content

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Multilock Connector System



Housing for Female Terminals, Wire-to-Wire, 39 Position, .157 in / .098 in [2.5 mm / 4 mm] Centerline, Gray, Power, Multilock Connector System







Customers Also Bought



 TE Part #281934-2

 SINGLE WIRE SEAL

 TE Part #DT04-2P

 DEUTSCH DT Series Housings &

 Connectors

 TE Part #W2S

 DEUTSCH DT WEDGELOCKS

 TE Part #0460-202-16141

 DEUTSCH DT Series Housings &

 Connectors

 TE Part #W2S

 DEUTSCH DT WEDGELOCKS

 TE Part #0460-202-16141

 DEUTSCH SOLID CONTACTS

Image: TE Part #282104-1
AMP SUPERSEAL 1.5MM,
CONNECTOR HOUSINGTE Part #14017-ZZ
SEALING PLUG, SIZE 12/16, WHT

Documents

Product Drawings LIF HYB 39P PLUG ASSY GRY

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-1743089-3_O.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 39 Position, .157 in / .098 in [2.5 mm / 4 mm] Centerline, Gray, Power, Multilock Connector System



3D

Customer View Model ENG_CVM_CVM_1-1743089-3_O.3d_igs.zip English

Customer View Model

ENG_CVM_CVM_1-1743089-3_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages MULTILOCK Connector System

English