



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts



Contact Type: **Pin, Tab**

Connector System: **Wire-to-Board**

Centerline (Pitch): **12 mm [.472 in]**

Wire Size: **992.68 – 2802.41 CMA**

Features

Product Type Features

Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

Contact Features

Mating Tab Width	3 mm[.118 in]
Mating Tab Thickness	.65 mm[.025 in]
Contact Underplating Material Thickness	.8 μm[31.5 μin]
Contact Mating Area Plating Material Thickness	.38 μm[15 μin]
Contact Length	29.9 mm[1.177 in]
Contact Underplating Material	Nickel
Contact Base Material	Copper Alloy
Contact Type	Pin, Tab
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	15 A



Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Centerline (Pitch)	12 mm [.472 in]
--------------------	-----------------

Dimensions

Accepts Wire Insulation Diameter Range	1.6 – 2.8 mm [.063 – .11 in]
--	------------------------------

Wire Size	.503 – 1.419 mm ²
-----------	------------------------------

Usage Conditions

Operating Temperature Range	-30 – 105 °C [-22 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Quantity	4500
--------------------	------

Packaging Method	Reel
------------------	------

Other

Comment	Housing PN: X-179325-X, X-179318-X, X-179388-X
---------	--

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-AM7053-D797P
Mini CT Drawer Connector Assemblies



TE Part # 292182-8
PLUG ASS'Y OF HYB DRAWER 12P



TE Part # 1-292187-2
PLUG ASS'Y OF HYB SF DRAWER8P



TE Part # 2-292189-3
PLUG ASS'Y OF HYB SF DRAWER 10P



TE Part # 2-292181-8
PLUG ASS'Y OF HYB DRAWER 32P



TE Part # 2-2151244-1
OCEAN_2.0_Applicator-S-085F120F



TE Part # 2-2151244-2
OCEAN_2.0_Applicator-S-085F120F



TE Part # 2151244-1
OCEAN_2.0_Applicator-S-085F120F



TE Part # 2151244-2
OCEAN_2.0_Applicator-S-085F120F



TE Part # 3-292187-2
PLUG ASS'Y OF HYB SF DRAWER9P



TE Part # 7-2151244-1
OCEAN_2.0_Applicator-S-085F120F



TE Part # 7-2151244-2
OCEAN_2.0_Applicator-S-085F120F



Customers Also Bought



Documents

Product Drawings

[HYBRID MINI DRWER TAB CONT.](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1-179321-2_L.2d_dxf.zip](#)

English

[3D PDF](#)



3D

Customer View Model

[ENG_CVM_CVM_1-179321-2_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-179321-2_L.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED](#)

English

[Low Power Drawer Connectors QRG](#)

English

Product Specifications

[Application Specification](#)

English

[Crimping Hybrid Mini Drawer Connector Power Line Contact](#)

English

Product Environmental Compliance

[MD_1-179321-2_05312016329_dmtec](#)

English

[MD_1-179321-2_05312016329_dmtec](#)

English