1-100103-0 - ACTIVE

AMP-LATCH | AMP-LATCH - NOVO

TE Internal #: 1-100103-0 TE Internal Description: 10P.A/L.STRAIN REL. Latch Connector: Strain Relief

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > Ribbon Connector Accessories >

Latch Connector: Strain Relief



Flat Flexible Cable Accessory Type: Strain Relief

Number of Positions: 10

All Latch Connector: Strain Relief (10)

Features

Dreduct Tures Eastures

Product Type Features			
Flat Flexible Cable Accessory Type	Strain Relief		
Configuration Features			
Number of Positions	10		
Body Features			
Primary Product Material	Glass-Filled Nylon		
Primary Product Color	Gray		
Dimensions			
Product Length	17.3 mm		
Packaging Features			
Packaging Quantity	250		
Packaging Method	Bag & Box		
Other			
Comment	Receptacle Connector		

1-100103-0

10P.A/L.STRAIN REL.



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


Compatible Parts




Also in the Series AMP-LATCH - NOVO

10P.A/L.STRAIN REL.





Customers Also Bought



171-20G=20P 28AWG S	MPT35 100R 5%	MPT35 47R 5%	BMB-P 0805 80R N8
TE Part #1-1768021-0	TE Part #194087-1 PIN ASSY., S-P HYBRID		

Documents

Product Drawings 10P.A/L.STRAIN REL.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-100103-0_D.2d_dxf.zip

1-100103-0

10P.A/L.STRAIN REL.



English

Customer View Model ENG_CVM_CVM_1-100103-0_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-100103-0_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance MD_1-100103-0_071420161028_dmtec

English

MD_1-100103-0_071420161028_dmtec

English