# 1011-268-0605 - ACTIVE

#### DEUTSCH | DEUTSCH DT

TE Internal #: 1011-268-0605 Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 6 Position, DEUTSCH DT

#### View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers > DEUTSCH DT BACKSHELLS



Protection & Strain Relief Accessory Type: Backshell

Cable Exit Angle: 90° (Right Angle)

Strain Relief: With

Primary Product Color: Black

Primary Product Material: PA GF

All DEUTSCH DT BACKSHELLS (47)

### Features

### Product Type Features

Protection & Strain Relief Accessory Type	Backshell
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	6
Body Features	
Cable Exit Angle	90° (Right Angle)
Primary Product Color	Black
Primary Product Material	PAGF
Mechanical Attachment	

### 1011-268-0605

Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 6 Position, DEUTSCH DT



#### Dimensions

Compatible Cable Bundle Diameter Range	8.5 – 13 mm[.335 – .511 in]
Usage Conditions	
Compatible With Connector Style	Plug
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Industry Standards	
Degree of Protection	IP6K9K
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	450
Packaging Method	Box
Other	
Serviceable	Yes

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits as defined in the Annexes of Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

#### 1011-268-0605

Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 6 Position, DEUTSCH DT




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**



# Also in the Series | DEUTSCH DT



Insertion & Extraction Tools(3)	Other Automotive Connector Accessories(14)	PCB Headers & Receptacles(106)

## **Customers Also Bought**



## Documents

#### 1011-268-0605

Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 6 Position, DEUTSCH DT



#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1011-268-0605\_99\_c-1011-268-0605-99.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1011-268-0605\_99\_c-1011-268-0605-99.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1011-268-0605\_99\_c-1011-268-0605-99.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications Application Specification

English