1011-264-0405 - ACTIVE

DEUTSCH | DEUTSCH DT

TE Internal #: 1011-264-0405 Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 4 Position, DEUTSCH DT

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers > DEUTSCH DT BACKSHELLS



Protection & Strain Relief Accessory Type: Backshell

Cable Exit Angle: 90° (Right Angle)

Strain Relief: With

Primary Product Color: Black

Primary Product Material: PA GF

All DEUTSCH DT BACKSHELLS (47)

Features

Product Type Features

| Protection & Strain Relief Accessory Type | Backshell |
|---|-------------------|
| Connector System | Wire-to-Wire |
| Sealable | No |
| Connector & Contact Terminates To | Wire & Cable |
| Configuration Features | |
| Number of Positions | 4 |
| Body Features | |
| Cable Exit Angle | 90° (Right Angle) |
| Primary Product Color | Black |
| Primary Product Material | PAGF |
| Mechanical Attachment | |
| Strain Relief | With |

1011-264-0405

Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 4 Position, DEUTSCH DT



Dimensions

| Compatible Cable Bundle Diameter Range | 6 – 10 mm[.236 – .394 in] |
|--|----------------------------|
| Usage Conditions | |
| Compatible With Connector Style | Plug |
| Operating Temperature (Max) | 125 °C[257 °F] |
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |
| Industry Standards | |
| Degree of Protection | IP6K9K |
| UL Flammability Rating | UL 94HB |
| Packaging Features | |
| Packaging Quantity | 500 |
| Packaging Method | Box |
| Other | |
| Serviceable | Yes |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits as defined in the Annexes of Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

1011-264-0405

Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 4 Position, DEUTSCH DT




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | DEUTSCH DT



| Insertion & Extraction Tools(3) | Other Automotive Connector Accessories(14) | PCB Headers & Receptacles(106) |
|---------------------------------|---|--------------------------------|

Customers Also Bought



Documents

1011-264-0405

Automotive Connector Caps & Covers, Backshell, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Wire, 4 Position, DEUTSCH DT



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1011-264-0405_99_c-1011-264-0405-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1011-264-0405_99_c-1011-264-0405-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1011-264-0405_99_c-1011-264-0405-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications Application Specification

English