


Timer Connector System TE Internal #: 1-963211-1 PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .197 in [5 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > LOW & MEDIUM POWER HEADER



Connector System: Wire-to-Board

Number of Positions: 6

Centerline (Pitch): 5 mm [.197 in]

Sealable: No

PCB Mount Orientation: Horizontal

All LOW & MEDIUM POWER HEADER (154)

Features

Product Type Features

Hybrid Header	No			
Connector & Housing Shape	Rectangular			
PCB Connector Assembly Type	PCB Mount Header			
Header Type	Fully Shrouded			
Connector System	Wire-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Sections	1			
Number of Positions	6			
PCB Mount Orientation	Horizontal			
Number of Rows	2			
Body Features				

C For support call+1 800 522 6752

PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .197 in [5 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System



Primary Product Color	Black
Connector Code	A1
Contact Features	
Contact Size	3mm
Contact Type	Tab
Mating Tab Width	3 mm[.118 in]
Mating Tab Thickness	.8 mm[.031 in]
Contact Mating Area Plating Material	Tin (Sn)
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mounting Holes	Without
Mating Retention	With
Mating Alignment	With
PCB Mount Alignment	Without
PCB Mount Retention	With
PCB Mount Retention Type	Mounting Hole
Mating Retention Type	Locking Interface
Housing Features	
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Connector Length	34.6 mm[1.349 in]
Operation/Application	
Shielded	No
Circuit Application	Signal
Packaging Features	
Packaging Type	Loose Piece
Packaging Quantity	400
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
I+1 800 522 6752	07/12/2022 (

C For support call+1 800 522 6752

PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .197 in [5 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Timer Connector System

Automotive Connector Caps & Covers (11)	Automotive Connector Locks & Position Assurance(16)	Automotive Housings(219)	Automotive Seals & Cavity Plugs(31)

PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .197 in [5 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System








Customers Also Bought



TE Part #7-1879208-7	TE Part #3-2176345-0	TE Part #7-1879354-7	TE Part #1-963224-1
CPF 0402 15K 0.1% 25PPM 1K RL	CRGCQ 1210 2K7 1%	RR03 5% 470R AMMO	LOW & MEDIUM POWER HEADER
	ETE		
TE Part #1-794077-1	TE Part #1734346-4	TE Part #1SNA162315R2500	
20P MINI UMNL HDR W/O DH AU LF	STD USB TYPE B, R/A, SMT, WHITE	HD6/14.SF.2G.2G	

Documents



PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .197 in [5 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System



English

Customer View Model ENG_CVM_1-963211-1_E.3d_stp.zip

English

Customer View Model

ENG_CVM_1-963211-1_E.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English