

1011-052-1205 ✓ ACTIVE

DEUTSCH | DEUTSCH DT

TE Internal #: 1011-052-1205

Other Automotive Connector Accessories, Seal Retainer, Wire-to-Wire, PA GF, Gray, 12 Position, Wire & Cable, -55 – 125 °C [-67 – 257 °F], DEUTSCH DT

[View on TE.com >](#)



Connectors > Automotive Connectors > Connector Accessories > Other Connector Accessories > DEUTSCH DT RETENTION SLEEVES



Automotive Connector Accessory Type: **Seal Retainer**

Connector System: **Wire-to-Wire**

Primary Product Material: **PA GF**

Primary Product Color: **Gray**

Number of Positions: **12**

[All DEUTSCH DT RETENTION SLEEVES \(4\)](#)

## Features

### Product Type Features

Automotive Connector Accessory Type	Seal Retainer
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

### Configuration Features

Number of Positions	12
---------------------	----

### Body Features

Primary Product Material	PA GF
Primary Product Color	Gray

### Usage Conditions

Compatible With Connector Style	Receptacle
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Quantity	2000
--------------------	------



Packaging Method

Box

**Other**

Serviceable

Yes

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2022 (223)  
Candidate List Declared Against: JAN 2022 (223)  
Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Compatible Parts**




TE Part # CAT-D487-CH8172  
DEUTSCH DT Series Housings & Connectors



TE Part # CAT-D485-CH8172  
DEUTSCH DTM HOUSINGS



TE Part # DTM04-12PA-EE04  
REC, 12P, BLK, N, HIGH TEMP, A



TE Part # DTM04-12PC-L012  
REC, 12P, GRN, N, FLANGE, C




TE Part # DTM04-12PD-L012  
REC, 12P, BRN, N, FLANGE, D



TE Part # DTM04-12PA-COM  
DTM04-12PA W/ WEDGELOCK AND  
TERMINALS

TE Part # DTM04-12PA-KIT  
DTM04-12PA-KT

TE Part # DTM04-12PB-COM  
DTM04-12PB-COMLETE

TE Part # DTM04-12PB-E003  
REC, 12P, BLK, N, CAP, B

TE Part # DTM04-12PB-E005  
REC, 12P, BLK, N, CAP, B

TE Part # DTM04-12PC-E003  
REC, 12P, GRN, N, CAP, C

TE Part # DTM04-12PC-E005  
REC, 12P, BLK, N, CAP, C


TE Part # DTM04-12PC-EE04  
REC, 12P, BLK, N, HIGH TEMP, C

TE Part # DTM04-12PD-E003  
REC, 12P, BRN, N, CAP, D

TE Part # DTM04-12PD-E005  
REC, 12P, BLK, N, CAP, D

TE Part # YDTM04-12PB-ASSEMB  
DTM04-12PB-ASSEMBLY KIT


Also in the Series | **DEUTSCH DT**




Automotive Connector Caps & Covers  
(98)




Automotive Connector Locks &  
Position Assurance(73)




Automotive Housings(619)



Automotive Seals & Cavity Plugs(4)



Insertion & Extraction Tools(3)



Other Automotive Connector  
Accessories(14)



PCB Headers & Receptacles(106)

Customers Also Bought



## Documents

### Product Drawings

[SEAL RET, 12P, GRY, DTM, A](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1011-052-1205\\_99\\_c-1011-052-1205-99.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1011-052-1205\\_99\\_c-1011-052-1205-99.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1011-052-1205\\_99\\_c-1011-052-1205-99.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

### Product Specifications

[Application Specification](#)

English

### Product Environmental Compliance

[MD\\_1011-052-1205\\_0918201722\\_dmtec](#)

1011-052-1205

Other Automotive Connector Accessories, Seal Retainer, Wire-to-Wire, PA GF, Gray,  
12 Position, Wire & Cable, -55 – 125 °C [-67 – 257 °F], DEUTSCH DT



English

[MD\\_1011-052-1205\\_0918201722\\_dmtec](#)

English