

AMP | Timer Connector System

TE Internal #: 1-965426-1 Housing for Male Terminals, Wire-to-Wire, 6 Position, .197 in [5 mm] Centerline, Black, Signal, Panel Mount, Key A1, Timer Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > TIMER, CONNECTOR HOUSING



Connector & Housing Type: Housing for Male Terminals

Mating Tab Width: 2.8 mm [.11 in]

Connector System: Wire-to-Wire

Number of Positions: 6

Centerline (Pitch): 5 mm [.197 in]

All TIMER, CONNECTOR HOUSING (543)

Features

Product Type Features

Connector & Housing Shape

Connector & Housing Type

Rectangular

Housing for Male Terminals

Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	6
Number of Rows	2
Body Features	
Body Material	PBT GF
Primary Product Color	Black
Connector Code	A1
Contact Features	
Contact Size	2.8mm
Contact Type	Tab
Mating Tab Width	2.8 mm[.11 in]

& For support call+1 800 522 6752

Housing for Male Terminals, Wire-to-Wire, 6 Position, .197 in [5 mm] Centerline, Black, Signal, Panel Mount, Key A1, Timer Connector System



Mechanical Attachment

Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Product Width	26.6 mm[1.047 in]
Product Length	20.2 mm[.795 in]
Product Height	38 mm[1.496 in]
Row-to-Row Spacing	6 mm[.236 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Carton

Other

Serviceable	No
Connector Position Assurance Capable	No
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022
	(223) Candidate List Declared Against: JAN 2022
	(223)
	Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC
	Free
Solder Process Capability	Not applicable for solder process capability

C For support call+1 800 522 6752

Housing for Male Terminals, Wire-to-Wire, 6 Position, .197 in [5 mm] Centerline, Black, Signal, Panel Mount, Key A1, Timer Connector System



Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Also in the Series | Timer Connector System



Housing for Male Terminals, Wire-to-Wire, 6 Position, .197 in [5 mm] Centerline, Black, Signal, Panel Mount, Key A1, Timer Connector System







Customers Also Bought



JACK,RTANG,PCB,75 OHM,BNC	RTS3T005	ADF02STTR04=DIP S,FLUSH,SMT-GW	TIMER, CONNECTOR HOUSING
ETE	= TE		
TE Part #963216-1 DICHTUNG	TE Part #8-1393224-5 RY532024	TE Part #2205488-1 CA Micro-MaTch MOW MOW 06 pos	

Documents

Product Drawings FLACHSTE-GEH2,8 6P	
English	
CAD Files	
3D PDF	
English	
Customer View Model ENG_CVM_1-965426-1_B.2d_dxf.zip	

C For support call+1 800 522 6752

Housing for Male Terminals, Wire-to-Wire, 6 Position, .197 in [5 mm] Centerline, Black, Signal, Panel Mount, Key A1, Timer Connector System



English

Customer View Model ENG_CVM_1-965426-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_1-965426-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\ensuremath{\mathsf{Terms}}$ and $\ensuremath{\mathsf{Conditions}}$ of use.

Datasheets & Catalog Pages

Timer Interconnection System

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

CONNECTEURS JPT ETANCHES A ETRIER POUR CONNEXIONS FIL A FIL PRECONISAT

English

Instruction Sheet (non U.S.)

English