



enetSEAL+ | DEUTSCH Common Contact

TE Internal #: 1062-20-0622

Automotive Terminals, Socket, Pin Diameter .04 in [1.02 mm], 16 – 14 AWG Wire Size, 1.3 – 2 mm² Wire Size, DEUTSCH Common Contact

[View on TE.com >](#)

Terminals & Splices > Automotive Terminals > DEUTSCH STAMPED & FORMED CONTACTS



Terminal Type: **Socket**

Mating Pin Diameter: 1.02 mm [.04 in]

Terminal Transmits: 0 – 24 A (Low Power)

Wire Size: 1.3 – 2 mm²

[All DEUTSCH STAMPED & FORMED CONTACTS \(54\)](#)

Features

Product Type Features

Sealable	No
Primary Locking Feature	On the Terminal

Contact Features

Contact Size	Size 20
Contact Fabrication	Stamped & Formed
Typical Current Rating	7.5 A
Crimp Type	F-Crimp
Terminal Type	Socket
Mating Pin Diameter	1.02 mm [.04 in]
Interface Plating	Nickel (Ni)
Contact Termination Area Plating Material	Nickel (Ni)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	1.3 – 2 mm ²
-----------	-------------------------



Wire Size Search	14 AWG, 15 AWG, 16 AWG
------------------	------------------------

Wire Insulation Diameter	1.91 – 3.18 mm [.075 – .125 in]
--------------------------	---------------------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C [176 °F][185 °F][194 °F][212 °F] [221 °F][230 °F][248 °F][257 °F]
-----------------------------	---

Operating Temperature Range	-55 – 125 °C [-67 – 257 °F]
-----------------------------	-----------------------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
------------------	------

Packaging Quantity	4000
--------------------	------

Other

Customer Preferred Contact	Yes
----------------------------	-----

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---


Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts






TE Part # 2-2266123-2
OCEAN_2.0_APPLICATOR-S-074F080F



TE Part # 2266121-1
OCEAN_2.0_Applicator-S-074F1100




TE Part # 2266121-2
OCEAN_2.0_Applicator-S-074F1100




TE Part # 2266122-1
OCEAN_2.0_Applicator-S-074F0900

Also in the Series | **DEUTSCH Common Contact**



Automotive Terminals(98)



Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #1623722-5
SBCH 11 18R 5%



TE Part #3-1623729-1
BCHE 17 W 12R 10%



TE Part #1060-20-0622
DEUTSCH STAMPED & FORMED CONTACTS



TE Part #DT06-3S-LC01
PLG, 3P, BLK, E, SL RT, DIN BKSHL ADPT




TE Part #YHD34-24-91PE-0720
REC, 9P, AL, E, THD ADPT DRAIN,8/12/16,P



TE Part #WM-12S-B026
WEDGE LOCK, 12P, PLG, GRN, DTM



TE Part #EK5493-000
ES2000-NO.8-A1-0-2IN



TE Part #2301339-1
HDP26-24-91SE-P064, PLG, 9P, E, NOJMP, S

Documents

Product Drawings

SOC, SF, SIZE 20, 14-16, NI/NI

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_1062-20-0622_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-20-0622_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-20-0622_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English