



ENGINEERING NUMBER	EDP PART NUMBER	CKT. SIZE	VOIDED PIN LOCATION (SEE NOTE 6)		C (0.38) ± .015	E (0.25) ± .010	F (0.25) ± .010	PLATE PER (88)	CONNECTOR END PLATING		P.C. BOARD END PLATING		SEE PACKING INFORMATION NOTE #7 SHEET 1
			ROW	LOCATION					TYPE	H MEAS.	TYPE	K MEAS.	
A-8624-5025													
A-8624-5026	10-88-2141	14	A	1 & 7	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5027	10-89-3241	24	B	5	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5028	10-88-0803	80	A	4	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5029	10-88-3107	10	A	2	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5030	10-88-4122	12	A	1 & 6	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5031	10-89-0359	34	A	3	(2.79) .110	(11.10) .437	(6.10) .240	571	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5032	10-89-0209	20	B	2	(2.79) .110	(11.10) .437	(6.10) .240	571	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5033	10-89-0219	34	A	3	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5034	10-89-0229	40	A	1	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5035	10-89-0239	10	A	1	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5036	10-89-0249	12	A	1	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5037	10-89-0189	34	A	3	(2.79) .110	(11.10) .437	(6.10) .240	588	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5038	10-89-0199	40	B	10	(2.79) .110	(11.10) .437	(6.10) .240	588	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5039	10-89-0369	10	A	1	(2.79) .110	(11.10) .437	(6.10) .240	571	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5040	10-89-0089	8	B	3	(2.79) .110	(13.21) .520	(8.13) .320	571	GOLD	(4.57) .180	TIN/LEAD	(1.27) .050	
A-8624-5041	10-89-0069	16	A	5	(2.72) .107	(11.10) .437	(6.10) .240	574	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5042	10-89-0079	18	A	7	(2.72) .107	(11.10) .437	(6.10) .240	574	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5043	10-89-0279	10	A	1	(2.16) .085	(10.29) .405	(5.84) .230	544	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5044	10-89-0289	26	A	1	(2.16) .085	(10.29) .405	(5.84) .230	544	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5045	10-89-0299	34	A	3	(2.16) .085	(10.29) .405	(5.84) .230	544	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5046	10-89-0309	40	A	11	(2.16) .085	(10.29) .405	(5.84) .230	544	GOLD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5047	10-89-0319	40	A	11	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	
A-8624-5048	10-89-0329	10	A	3	(2.79) .110	(11.10) .437	(6.10) .240	164	TIN/LEAD	(2.54) .100	TIN/LEAD	(1.27) .050	

REVISE ONLY ON CAD SYSTEM

SALES ASSY - DUAL ROW WAFER  
W/BREAK-OFF OPTION AND VOIDS  
±.025 SQ. PINS ON .100 GRID

MOLEX INCORPORATED  
1300 S. STATE ST. ELKHART, IN 46517

DATE: 10/11/2000

SEE CHART SDA-8624-5001-9000

FILE NO. 38624-03

REV	DESCRIPTION	DATE
E2	SEE SHEET 1	
E1	SEE SHEET 1	
E	SEE SHEET 1	
D2	SEE SHEET 1	
D	SEE SHEET 1	
F	SEE SHEET 1	
E4	SEE SHEET 1	
E3	SEE SHEET 1	
C1	SEE SHEET 1	
LTR.	REVISIONS	

REV	DESCRIPTION	DATE
E2	SEE SHEET 1	
E1	SEE SHEET 1	
E	SEE SHEET 1	
D2	SEE SHEET 1	
D	SEE SHEET 1	
F	SEE SHEET 1	
E4	SEE SHEET 1	
E3	SEE SHEET 1	
C1	SEE SHEET 1	
LTR.	REVISIONS	