


THIS DRAWING AND DESIGN HEREON CONSTITUTES A PROPRIETARY DESIGN OF PACKARD ELECTRIC DIVISION AND IS NOT TO BE DUPLICATED OR REPRODUCED WITHOUT AUTHORITY OF PACKARD ELECTRIC DIVISION.

DO NOT SCALE

PART NO.  
1211 0644



- NOTES** -
1. RECOMMENDED MATING BLADE - 0.860/0.790 THK; 2.90/2.70 WIDTH; 7.00 LENGTH.
  2. MATING TERMINAL - MINI FUSE 12092075 OR EQUIVALENT.
  3. MAXIMUM CURRENT CAPACITY IS 30 AMPS.
  4. DIMENSIONS MARKED "REF" ARE FOR REFERENCE ONLY, AND NO TOLERANCE LIMITS ARE ESTABLISHED.

DATE	SYM	REVISION RECORD	AUTHORITY	DR	CK
20FE91	C	WAS PE024387 & RELEASED	910005	JC	JC

**PED / INTRAPH.**  
**MICROSTATION**

FILE SPEC: \*\*\*\*USER\*\*\*\*  
DGN\*SPECIFICATION\*\*\*\*\*  
\*\*\*\*\*SYTIME\*\*\*\*\*

**METRIC**  
DIMENSIONS ARE IN MILLIMETERS  
UNLESS OTHERWISE SPECIFIED.

THIRD ANGLE PROJECTION

CODE NO. 6900

TOLERANCE UNLESS OTHERWISE SPECIFIED  
DECIMAL: ANGULAR ± 2°  
ONE PLACE ± 0.3  
TWO PLACE ± 0.15

DWG. DATE 20FE91 SCALE NONE

DR. J.COLDSNOW 20FE91

EST. NO. CK. J.COLDSNOW DATE 20FE91

REFERENCE NO. SHT #1  
12110643 "E" SIZE

APPR. DATE

MATERIAL SPEC.  
0.406 THK TIN PLATED BERYLLIUM COPPER

NAME TERM F M/P 280 BUS BAR

PART NO. 1211 0644 SIZE B

OUTLINE DRAWING