


AMP | Timer Connector System

TE Internal #: 1379326-1 Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, Wire-to-Board / Wire-to-Device, Timer Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover - Cable Exit

Cable Exit Angle: 180° (In-Line)

Strain Relief: With

Primary Product Color: Black

Connector System: Wire-to-Board, Wire-to-Device

Features

Product Type Features

Protection & Strain Relief Accessory Type

Connector System

Cover - Cable Exit

Wire-to-Board, Wire-to-Device

Configuration Features

Number of Positions	52
Body Features	
Cable Exit Angle	180° (In-Line)
Primary Product Color	Black
Mechanical Attachment	
Strain Relief	With
Dimensions	
Compatible Cable Bundle Diameter Range	30 mm[1.181 in]
Usage Conditions	
Operating Temperature (Max)	70 °C[158 °F]
Operating Temperature Range	-40 – 70 °C[-40 – 158 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	

C For support call+1 800 522 6752

07/15/2022 07:58AM | Page 1

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, Wire-to-Board / Wire-to-Device, Timer Connector System



Packaging Quantity	1000								
Packaging Method	Box								
Other									
Serviceable	Yes								

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, Wire-to-Board / Wire-to-Device, Timer Connector System





TE Part # CAT-T4827-CH8172 TIMER, CONNECTOR HOUSING


Also in the Series | Timer Connector System



Automotive Terminals(140)	Crimp Terminal Housings(13)	Insertion & Extraction Tools(20)	Other Automotive Connector
			Accessories(1)




Customers Also Bought



Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, Wire-to-Board / Wire-to-Device, Timer Connector System





Documents

Product Drawings COVER FOR 52W HYB CONNECT

English

CAD Files **Customer View Model** ENG_CVM_CVM_1379326-1_O.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1379326-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1379326-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Product Specifications Product Specification

French

Product Environmental Compliance Product Compliance

English

Product Compliance

English

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, Wire-to-Board / Wire-to-Device, Timer Connector System



Instruction Sheets Instruction Sheet (non U.S.)

English