1410142-1 ACTIVE

MULTIGIG RT | MULTIGIG RT 2

TE Internal #: 1410142-1

High Speed Backplane Connectors, Board-to-Board, 144 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 16

Column, MULTIGIG RT 2

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Connectors



Connector System: Board-to-Board

Number of Positions: 144

Row-to-Row Spacing: 1.8 mm [.071 in]

Mating Alignment: With

Mating Alignment Type: Polarization

Features

Product Type Features

Applied to Printed Circuit Board Type	Backplane
Connector System	Board-to-Board
PCB Connector Assembly Type	PCB Mount Receptacle
Shroud Style	Unshrouded
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Card Slot Centerline	20.3 mm[.8 in]
Number of Positions	144
Number of Rows	9
Number of Columns	16
Backplane Architecture	Traditional Backplane
PCB Mount Orientation	Vertical
Guide Location	Right

Contact Features

Contact Current Rating (Max)	1 A	

Mechanical Attachment

Mating Alignment	With
Mating Alignment Type	Polarization



Connector Mounting Type	Board Mount
Housing Features	
Number of Shrouded Sides	0
Centerline (Pitch)	1.8 mm[.071 in]
Dimensions	
Row-to-Row Spacing	1.8 mm[.071 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach




Compatible Parts



Also in the Series | MULTIGIG RT 2



Customers Also Bought



Documents

Product Drawings
MULTIGIG RT T2 .8" BP FULL RGH

English

High Speed Backplane Connectors, Board-to-Board, 144 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 16 Column, MULTIGIG RT 2



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1410142-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1410142-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1410142-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

High Speed Backplane Connectors catalog - MULTIGIG RT Connector

English

SOSA Aligned Interconnect Solutions

English

High Speed Backplane Interconnect Solutions Brochure 1654263-1

English

MULTIGIG RT Connector Products for VITA 46 (VPX) Standard

English

Product Specifications

Electrical Performance Report

English

Product Environmental Compliance

TE Material Declaration

English