
1376164-1 - ACTIVE

TE Internal #: 1376164-1 Battery Holders, ML621, Board-to-Board, 2 Position, Horizontal, Gold, Printed Circuit Board, Signal, Board Mount, -40 – 85 °C [-40 – 185 °F]

View on TE.com >

Connectors > PCB Connectors > Battery Connectors & Holders > Battery Holders



Battery Compatibility: ML621

Connector System: Board-to-Board

Number of Positions: 2

PCB Mount Orientation: Horizontal

Contact Mating Area Plating Material: Gold

Features

Product Type Features



Connector System	Board-to-Board				
Connector & Contact Terminates To	Printed Circuit Board				
Configuration Features					
Number of Positions	2				
PCB Mount Orientation	Horizontal				
Body Features					
Battery Holder Type	Coin Cell				
Battery Holder Color	Green				
Battery Weight	.09 g				
Battery Compatibility	ML621				
Contact Features					
Contact Underplating Material	Nickel				
Contact Mating Area Plating Material	Gold				
Mechanical Attachment					

C For support call+1 800 522 6752

1376164-1

Battery Holders, ML621, Board-to-Board, 2 Position, Horizontal, Gold, Printed Circuit Board, Signal, Board Mount, -40 – 85 °C [-40 – 185 °F]



PCB Mount Retention	Without				
PCB Mount Alignment	Without				
Connector Mounting Type	Board Mount				
Dimensions					
Compatible Battery Dimensions	6.8 x 2.1 mm[.268 x .083 in]				
Usage Conditions					
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]				
Operation/Application					
Circuit Application	Signal				
Packaging Features					
Packaging Quantity	2000				
Packaging Method	Tape & Reel				
Product Compliance					
For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				

EU ELV Directive 2000/53/EC

I

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Reflow solder capable to 245°C	

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

1376164-1

Battery Holders, ML621, Board-to-Board, 2 Position, Horizontal, Gold, Printed Circuit Board, Signal, Board Mount, -40 – 85 °C [-40 – 185 °F]



Compatible Parts



TE Part # 353832-1 BATTERY HOLDER ASSY

Customers Also Bought



	ETE	= TE	-≡ TE
TE Part #9-1879215-4	TE Part #7-2176307-7	TE Part #2176369-8	TE Part #YAFD50-14-12SNC127
CPF 0402 43K2 0.1% 25PPM 1K RL	RP 1E 0.1W 76K8 0.1% 25PPM 5K RL	RQ 0603 47R5 0.1% 10PPM 5K RL	RECP ASSY

Documents

Product Drawings BATTERY HOLDER ML621 ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1376164-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1376164-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1376164-1_C.3d_stp.zip

1376164-1

Battery Holders, ML621, Board-to-Board, 2 Position, Horizontal, Gold, Printed Circuit Board, Signal, Board Mount, -40 – 85 °C [-40 – 185 °F]



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Battery Holder

English

Product Environmental Compliance MD_1376164-1_05132014141_dmtec

English

MD_1376164-1_05132014141_dmtec

English