

AMPMODU | AMPMODU PC/104

TE Internal #: 1375795-1


PC/104 Connectors, Board-to-Board, 104 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, Signal, Board Mount, AMPMODU

PC/104

View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > PC/104 Connectors



Connector System: Board-to-Board

Number of Positions: 104

Centerline (Pitch): 2.54 mm [.1 in]

Number of Loaded Positions: 102

Sealable: No

Features

Product Type Features

Connector System	Board-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Keying & Polarized Position Locations	B-10, C-19

Stacking Configuration	Stack Through
Number of Positions	104
Number of Loaded Positions	102

Electrical Characteristics

Dielectric Withstanding Voltage (Max)	500 VAC
Insulation Resistance	1000 MΩ

Contact Features

Contact Mating Area Plating Material	Gold
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	3 A

Termination Features

Termination Post & Tail Length	12.27 mm[.483 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit



Mechanical Attachment

Mating Alignment Type	Keyed
Mating Alignment	With
PCB Mount Retention Type	Action/Compliant Tail
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Nylon - GF
Housing Color	Black
Centerline (Pitch)	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Other	
Comment	Flat-rock insertable, See Specific Info Link

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC Compliant China RoHS 2 Directive MIIT Order No 32, 2016 REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC Halogen Content Not Low Halogen - contains Br or Cl > 900
China RoHS 2 Directive MIIT Order No 32, 2016 EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
(223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content Not Low Halogen - contains Br or Cl > 900
ppm.
Solder Process Capability Not applicable for solder process capability

Product Compliance Disclaimer

for information on a PC/104 Extraction Tool.




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | AMPMODU PC/104







Customers Also Bought














Documents

Product Drawings

ASSY, 64/40 POS PC104

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1375795-1_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_1375795-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_1375795-1_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AMPMODU_INTERCONNECTION_SYSTEM_SECTION1AND2

English

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_1375795-1_11132017425_dmtec

English

MD_1375795-1_11132017425_dmtec

English

Agency Approvals

UL Report

English

UL Report

PC/104 Connectors, Board-to-Board, 104 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, Signal, Board Mount, AMPMODU PC/104



English