Customer Support

Live Product Chat

Check Pricing & Availability

Contact Us About This Product

Product Feature Selector

Search for Tooling

Quick Links

Products

Our commitment. Your advantage.

My Account

Search

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Terminal Blocks & Strips</u> > <u>Product Feature Selector</u> > Product Details

4DB-P104-02 Product Details

Documentation



Barrier Strips, Barrier Strip Sockets

Not reviewed for RoHS Compliance

Product Highlights:

Barrier Strip

Resources

- Barrier Style = Single Row, Dual Barrier
- Block Style = Flat
- 8.26 mm Centerline
- Vertical Mount Angle

View all Features

4DB-P104-02 (1437667-1)

TE Internal Number: 1437667-1



Contact Product Information Center









Documentation & Additional Information

Product Drawings:

None Available

Catalog Pages/Data Sheets:

None Available

Product Specifications:

None Available

Application Specifications:

None Available

Instruction Sheets:

None Available

CAD Files:

None Available

Additional Information:

Product Line Information

Related Products:

Tooling

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Barrier Strip
- Mount Angle = Vertical
- Number of Positions = 2
- CSA File No. = LR30811
- UL Recognized = File No. E54800
- Screw Material = Steel
- Mounting Ears = Without
- Comment = Do not order Screw and Captive Clamp in combination with other top hardware.; Other options available upon request, consult our Product Information Center.

Mechanical Attachment:

- Screw Plating = Zinc Chromate
- Mounting Style = Direct (All Positions Filled)

Electrical Characteristics:

- <u>Top Hardware</u> = Wire Clamp Combo Head
- Number of Levels = Single
- End Barriers = Without
- Bracket = Without
- Screw Head Type = Slotted
- Mounting Insert = Without

Termination Related Features:

• Terminal Plating = Bright Tin

Body Related Features:

- Barrier Style = Single Row, Dual Barrier
- Block Style = Flat
- <u>Centerline (in [mm])</u> = 0.325 [8.26]
- Number of Rows = Single
- <u>Terminal Style</u> = Printed Circuit Pin 4.00 [.160]
- Terminal Material = Copper Alloy
- Wire Range (mm [AWG]) = $0.30-3.00^2$ [22-12]

Contact Related Features:

• Mounting Options = None

Industry Standards:

- RoHS/ELV Compliance = Not reviewed for ELV/RoHS compliance
- <u>Lead Free Solder Processes</u> = Not reviewed for lead free solder process

Other:

• Brand = Buchanan