

1489951-1 ✓ ACTIVE

SFP28 | XFP


TE Internal #: 1489951-1

XFP, Cage Assembly, Double-Sided (Belly-to-Belly) Mount, 1 Port, 1 x 1, Data Rate (Max) 10 Gb/s, Cable-to-Board, .8 mm Centerline, XFP

[View on TE.com >](#)



Connectors > Pluggable IO Connectors & Cages > XFP > XFP Cage Assemblies and Kits



Pluggable I/O Product Type: **Cage Assembly**
PCB Mounting Style: **Double-Sided (Belly-to-Belly)**
Number of Ports: **1**
Port Matrix Configuration: **1 x 1**
Data Rate (Max): **10 Gb/s**

[All XFP Cage Assemblies and Kits \(22\)](#)

Features

Product Type Features

Connector Style	Receptacle
Form Factor	XFP
Pluggable I/O Accessory Type	Heat Sink
Cage Type	Single
Product Line	XFP
Pluggable I/O Product Type	Cage Assembly
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Ports	1
Port Matrix Configuration	1 x 1



Electrical Characteristics

Data Rate (Max)	10 Gb/s
-----------------	---------

Body Features

Material	Aluminum
Cage Plating Material	Tin

Contact Features

Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	.5 A

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Press-Fit
---	--------------------------

Mechanical Attachment

PCB Mounting Style	Double-Sided (Belly-to-Belly)
Connector Mounting Type	Board Mount

Housing Features

Cage Material	Copper Alloy
Housing Color	Black
Housing Material	LCP (Liquid Crystal Polymer)
Centerline (Pitch)	.8 mm

Dimensions

Length	65.53 mm[2.58 in]
Width	21.7 mm[.854 in]
Profile Height	13.29 mm[.523 in]
Tail Length	2.05 mm[.081 in]

Operation/Application

Heat Sink Compatible	Yes
For Use With Pluggable I/O Products	XFP Cage
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tray
------------------	------



Other

Included Lightpipe	No
--------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-X29-C76264
XFP Connectors



TE Part # 1367500-1
30 POSN XFP CONN, ENHANCED



TE Part # 1542618-2
XFP MSA SAN APPLICATION



TE Part # 1489948-2
XFP HEAT SINK CLIP, PLATED





TE Part # 1963850-2
XFP. MSA HEATSINK 10mm TALL



TE Part # 1888810-2
EMI/Dust Cover,XFP And QSFP



TE Part # 1542993-2
SFP HEATSINK 13.5MM TALL



TE Part # 1542706-3
XFP. MSA NETWORK APPLICATION H



TE Part # 1829904-2
HEAT SINK SFP DWDM 6.5mm TALL



TE Part # 1829905-2
HEAT SINK SFP DWDM 13.5mm TALL



TE Part # 1963854-2
HEAT SINK SFP DWDM 10.0mm TALL



TE Part # 2303922-2
HEAT SINK SFP DWDM 4.2mm TALL

Also in the Series | XFP




Heat Sinks(4)



XFP(31)

Customers Also Bought



TE Part #788389-2
40 CHAMP BLDMT EXT/HT RCT LD FREE



TE Part #1761015-3
SFP 1X6 CAGE ASSY W/ KAPTON TAPE, PF



TE Part #292304-5
STD USB TYPE B, R/A, T/H, 30U" AU"



TE Part #2057930-1
CFP Backer Plate Assy



TE Part #3-644487-0
10P MTA100 SHRDR HDR ASSY 30AU



TE Part #2227302-3
CAGE ASSY, PRESS FIT, SFP



TE Part #1658744-3
SFP 1X4 CAGE ASSY



TE Part #2170745-6
CAGE ASSY, 1X4, QSFP28, SPRING, HS



Documents

Product Drawings

XFP CAGE ASSEMBLY

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1489951-1_D.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1489951-1_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1489951-1_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1773408-1 Pluggable Input/Output Solutions catalog - XFP section](#)

English

[1-1773717-7_PLUGGABLE_IO_QRG_CN](#)

English

[1-1773717-8_PLUGGABLEIO_QRG_TCN](#)

English

[1-1773717-9_HIGH_SPEED_IO_QRG_JA](#)

English

[4-1773455-2 - Quick Reference Guide Pluggable I/O Solutions](#)

English

Product Specifications

Application Specification

English

Product Environmental Compliance

[MD_1489951-1_03262017357_dmtec](#)

English

[MD_1489951-1_03262017357_dmtec](#)

English

Instruction Sheets

Instruction Sheet (U.S.)

English

1489951-1

XFP, Cage Assembly, Double-Sided (Belly-to-Belly) Mount, 1 Port, 1 x 1, Data Rate (Max) 10 Gb/s, Cable-to-Board, .8 mm Centerline, XFP

