




Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Wire**

Number of Positions: **4**

Centerline (Pitch): **3 mm [ .118 in ]**

Features

Product Type Features

|                                   |              |
|-----------------------------------|--------------|
| Rectangular Power Connector Type  | Housing      |
| Connector & Housing Type          | Receptacle   |
| Connector System                  | Wire-to-Wire |
| Sealable                          | No           |
| Connector & Contact Terminates To | Wire & Cable |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Positions | 4 |
| Number of Rows      | 1 |

Electrical Characteristics

|                   |         |
|-------------------|---------|
| Operating Voltage | 250 VDC |
|-------------------|---------|

Contact Features

|                                  |            |
|----------------------------------|------------|
| Contact Layout                   | Inline     |
| Contact Retention Within Housing | Without    |
| Contact Type                     | Receptacle |



Termination Features

|                                    |       |
|------------------------------------|-------|
| Termination Method to Wire & Cable | Crimp |
|------------------------------------|-------|

Mechanical Attachment

|                         |                            |
|-------------------------|----------------------------|
| Connector Mounting Type | Cable Mount (Free-Hanging) |
|-------------------------|----------------------------|

Housing Features

|                    |               |
|--------------------|---------------|
| Centerline (Pitch) | 3 mm[.118 in] |
| Housing Color      | Black         |
| Housing Material   | Nylon 66/6    |

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -40 – 105 °C[-40 – 221 °F] |
|-----------------------------|----------------------------|

Operation/Application

|                     |                |
|---------------------|----------------|
| Circuit Application | Power & Signal |
|---------------------|----------------|

Industry Standards

|                        |                               |
|------------------------|-------------------------------|
| CSA Rating             | Certified                     |
| UL Flammability Rating | UL 94V-0                      |
| Glow Wire Rating       | Standard Part - Not Glow Wire |
| UL Rating              | Recognized                    |
| Agency/Standard Number | E28476, VDE_40005280          |
| CSA File Number        | LR7189                        |
| VDE Tested             | No                            |
| Agency/Standard        | CNR, USR                      |

Packaging Features

|                    |      |
|--------------------|------|
| Packaging Method   | Tray |
| Packaging Quantity | 3000 |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|                                               |                                              |
|-----------------------------------------------|----------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                    |
| EU ELV Directive 2000/53/EC                   | Compliant                                    |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold      |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2022 (224) |



Candidate List Declared Against: JAN 2022 (223)  
SVHC > Threshold:  
Not Yet Reviewed


|                 |                                                                                     |
|-----------------|-------------------------------------------------------------------------------------|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
|-----------------|-------------------------------------------------------------------------------------|

|                           |                                              |
|---------------------------|----------------------------------------------|
| Solder Process Capability | Not applicable for solder process capability |
|---------------------------|----------------------------------------------|

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

|                                                                                                                                                    |                                                                                                                                                  |                                                                                                                                                       |                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 2029030-4<br/>4P MICRO MNL HDR ASSY SR SIDE L</p> |  <p>TE Part # 1445049-4<br/>FREE HANG SNGL ROW HSG 4 POS</p>  |  <p>TE Part # 2-1445100-4<br/>MICRO MNL HDR ASSY S/ROW LF</p>    |  <p>TE Part # 2-1445096-4<br/>MICRO MNL HDR ASSY SINGLE ROW</p>  |
|  <p>TE Part # 2-1445055-4<br/>MICRO MNL HDR ASSY S/ROW LF</p>   |  <p>TE Part # 2-1445053-4<br/>MICRO MNL HDR ASSY S/ROW LF</p> |  <p>TE Part # 2-1445094-4<br/>MICRO MNL HDR ASSY S/ROW AU LF</p> |  <p>TE Part # 2-1445093-4<br/>MICRO MNL HDR ASSY S/ROW AU LF</p> |





|                                                                                                                                                   |                                                                                                                                                   |                                                                                                                                                     |                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 2-1445091-4<br/>MICRO MNL HDR ASSY S/ROW AU LF</p> |  <p>TE Part # 2008571-2<br/>2 POS MICRO MNL, TOP LATCH, BL</p>   |  <p>TE Part # 2-1445085-4<br/>micro mnl hdr assy s/row au lf</p> |  <p>TE Part # 2-1445054-4<br/>MICRO MNL HDR ASSY S/ROW LF</p>     |
|  <p>TE Part # 2-1445087-4<br/>MICRO MNL HDR ASSY S/ROW AU LF</p> |  <p>TE Part # 2-1445088-4<br/>MICRO MNL HDR ASSY S/ROW AU LF</p> |  <p>TE Part # 2-1445089-4<br/>MICRO MNL HDR ASSY S/ROW AU LF</p> |  <p>TE Part # 2-1445098-4<br/>MICRO MNL HDR ASSY S/ROW AU LF</p>  |
|  <p>TE Part # 2008570-4<br/>4 POS MICRO MNL, SIDE LATCH, B</p> |  <p>TE Part # 2008571-3<br/>3 POS MICRO MNL, TOP LATCH, BL</p> |  <p>TE Part # 2029047-4<br/>4P MICRO MNL RCPT HSG SR SIDE</p>  |  <p>TE Part # 2-1445056-4<br/>MICRO MNL HDR ASSY SINGLE ROW</p> |

Also in the Series | Micro MATE-N-LOK

|                                                                                                                                |                                                                                                               |                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|  <p>Insertion &amp; Extraction Tools(1)</p> |  <p>Power Contacts(26)</p> |  <p>Rectangular Power Connectors(712)</p> |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|

Customers Also Bought

|                                                                                                                                                 |                                                                                                                                                |                                                                                                                                                  |                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part #1445022-5<br/>MICRO MNL RFCEPT HSG SINGLE R</p> |  <p>TE Part #794606-1<br/>MICRO MNL RPT CNT STRIP 20-24</p> |  <p>TE Part #221117-4<br/>KIT, COMMERCIAL SMA PLUG ASSY</p> |  <p>TE Part #2-33463-4<br/>TERMINAL, SOLIS R 8 3/8</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|



TE Part #1445048-4  
PANEL MT SNGL ROW HSG 4 POS

TE Part #1-2286937-5  
2POS,HVP800,180 DEG,50 SQMM, COD A,CS

TE Part #1-2286937-6  
2POS,HVP800,180 DEG,50 SQMM, COD A,CS

TE Part #103974-1  
10X2 MTE RCPT SR PLAIN .100CL

TE Part #ZPF000000000009202  
984-0SE 22-55 P7 L

Documents

Product Drawings

MICRO MNL RFECPT HSG SINGLE R

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1445022-4\_F1.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1445022-4\_F1.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1445022-4\_F1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT\_SHELL\_PIN\_AND\_SOCKET\_CONNECTORS\_CATALOG

English

MICRO MATE-N-LOK CONNECTOR SYSTEM

English

1773458-4\_MICRO\_MATE\_N\_LOK\_CONNECTOR\_SYSTEM\_ORG

English

Product Specifications



Application Specification

English

Product Environmental Compliance

MD\_1445022-4\_07182018532\_dmtec

English

MD\_1445022-4\_07182018532\_dmtec

English