

#### **FAKRA RF Connector System**

TE Internal #: 1452581-2


Data Connectivity Housings, Housing for Male Terminals, Keying Code B, Board-to-Board / Wire-to-Wire, 1 Position, FAKRA RF

Connector System

View on TE.com >



Connectors > Automotive Connectors > Data Connectivity Systems > Data Connectivity Housings



Connector & Housing Type: Housing for Male Terminals

Keying Code: **B** 

Connector System: Board-to-Board, Wire-to-Wire

Number of Positions: 1

Sealable: No

#### **Features**

## **Product Type Features**

| Board Standoff                    | Without                      |
|-----------------------------------|------------------------------|
| Hybrid Connector                  | No                           |
| Connector & Housing Type          | Housing for Male Terminals   |
| Connector System                  | Board-to-Board, Wire-to-Wire |
| Sealable                          | No                           |
| Connector & Contact Terminates To | Wire & Cable                 |

# **Configuration Features**

| Fiber Optic Transceiver | Without |
|-------------------------|---------|
| Snap-Lock               | Without |
| Keying Code             | В       |
| Number of Positions     | 1       |

## Signal Characteristics

## **Body Features**

| Environmental Protection | Other          |
|--------------------------|----------------|
| Ferrule                  | Without        |
| Body Material            | PBT GF         |
| Cable Exit Angle         | 180° (In-Line) |



#### **Contact Features**

| Center Contact                               | Without |
|--|---------|
| Contact Type                                 | Pin     |
| Contact Mating Area Plating Material         | None    |
| RF Connector Center Contact Plating Material | None    |
| Machaniael Attachmant                        |         |

#### Mechanical Attachment

| Mounting Feature       | Without     |
|------------------------|-------------|
| Panel Attachment Style | Front Mount |
| Mating Retention       | With        |

# **Housing Features**

| Housing Color | Other |  |
|---------------|-------|--|
| Housing Color | Other |  |

#### **Dimensions**

| Product Width  | 10.9 mm[.429 in] |
|----------------|------------------|
| Product Length | 26 mm[1.023 in]  |
| Product Height | 10.3 mm[.405 in] |

# **Usage Conditions**

| Operating Temperature (Max) | 65 °C, 70 °C, 75 °C, 80 °C, 85 °C[149 °F][158 °F][167 °F][176 °F][185 °F] |
|-----------------------------|---|
| Cable Type                  | DACAR 462   |
| Operating Temperature Range | -40 - 85 °C[-40 - 185 °F]   |

# Operation/Application

| Shielded            | No     |
|---------------------|--------|
| Circuit Application | Signal |

# Packaging Features

| Packaging Quantity | 2500 |
|--------------------|------|
| Packaging Method   | Bulk |

# Other

| Outer Contact Plating Material | Other |
|--------------------------------|-------|
| Dielectric Material            | None  |

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>



| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                       |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**



TE Part # 1719261-2 1 POS FAKRA II PLUG HSG CODB F



TE Part # 1452584-2 1 WAY PLUG CONN FAKRA2



TE Part # 2-2287956-2 1POS,FAKRA II,PLUG,REC HSG,CODB, ASSY










# Also in the Series | FAKRA RF Connector System



Automotive Connector Caps & Covers
(1)



Automotive Connector EMC Shielding



Automotive Connector Locks & Position Assurance(4)



Automotive Housings(2)



Automotive Terminals(12)



Coax Contacts(1)



Data Connectivity Headers(358)



Data Connectivity Housings(415)



Infotainment & Multimedia Cable Assemblies(1)



Other Automotive Connector Accessories(34)




PCB Headers & Receptacles(1)



RF Connectors(1)

# Customers Also Bought



TE Part #1-2005002-1
REC CONT FOR RF STRIPLINE



TE Part #1-413889-3 FERRULE,NI PLTD



TE Part #1452581-6 1 WAY JACK COAX CONN FAKRA2



TE Part #1488146-2 JACK SUBASSEMBLY,RG174,HF,FAKR



TE Part #1897797-3
TAB DIELECTRIC-RF STRIPLINE



TAB CONTACT FOR RF STRIPLINE











### **Documents**

## **Product Drawings**

1 WAY JACK COAX CONN FAKRA2

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1452581-2\_B\_c-1452581-2-b.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1452581-2\_B\_c-1452581-2-b.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1452581-2\_B\_c-1452581-2-b.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# **Product Specifications**

**Application Specification** 

English