TE Internal #: 1418917-1

Automotive Connector Caps & Covers, Cover, Cable Exit Angle 180° (In-Line), Black, PA, Wire-to-Wire, 7 / 4 Position, -40 – 248 °F

[-40 - 120 °C]

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers > CIRCULAR DIN BACKSHELLS











Protection & Strain Relief Accessory Type: Cover

Cable Exit Angle: 180° (In-Line) Primary Product Color: Black Primary Product Material: PA Connector System: Wire-to-Wire

All CIRCULAR DIN BACKSHELLS (16)

Operating Temperature (Max)

Features

Product Type Features	
Protection & Strain Relief Accessory Type	Cover
Connector System	Wire-to-Wire
Configuration Features	
Number of Positions	4, 7
Body Features	
Cable Exit Angle	180° (In-Line)
Primary Product Color	Black
Primary Product Material	PA
Usage Conditions	
Compatible With Connector Style	Housing For Female Terminals, Housing For Male Terminals

70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C,

105 °C, 110 °C, 120 °C[158 °F][167 °F][176 °

F][185 °F][194 °F][212 °F][221 °F][230 °F][248



	°F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	600
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts









Customers Also Bought









TE Part #3-644043-6 06P MTA100 CONN ASSY LF





TE Part #1-1718645-1

TE Part #925603-4 FF 250 REC 20-15 AWG TPPB LP

TE Part #160458-2 FF 250 TAB 18-16AWG TPPB LP TE Part #DT16-6SB-KP01 PLG, 6P, BLK, E, B



Documents

Product Drawings

MULTI CORE CABLE ADAPTER 180 DEGREE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1418917-1_C.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_1418917-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1418917-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Product Specification

English

Product Environmental Compliance

TE Material Declaration

English