

AMP | AMP MCP Connector System, AMP MCP Hybrids

TE Internal #: 1534184-1

Automotive Connector Caps & Covers, Cover Assembly, Black, PBT

GF, Wire-to-Board / Wire-to-Device, 32 Position, AMP MCP

Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover Assembly

Strain Relief: With

Primary Product Color: Black

Primary Product Material: PBT GF

Connector System: Wire-to-Board, Wire-to-Device

Features

Product Type Features	
Protection & Strain Relief Accessory Type	Cover Assembly
Connector System	Wire-to-Board, Wire-to-Device
Configuration Features	
Number of Positions	32
Body Features	
Primary Product Color	Black
Primary Product Material	PBT GF
Mechanical Attachment	
Strain Relief	With
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C (158 °F)[167 °F)[176 °F)[185 °F)[194 °F)[212 °F][221 °F][230 °F][248 °F][257 °F][266 °F] [284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
Packaging Features	
Packaging Quantity	300

Carton

Packaging Method



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | AMP MCP Connector System





Automotive Connector Caps & Covers (24)



Automotive Connector Locks & Position Assurance(7)



Automotive Housings(352)



Automotive Seals & Cavity Plugs(6)




Automotive Terminals(125)



Insertion & Extraction Tools(13)



Other Automotive Connector Accessories(2)



PCB Headers & Receptacles(29)

Also in the Series | AMP MCP Hybrids



Automotive Connector Caps & Covers (6)



Automotive Housings(48)

Customers Also Bought





Documents

Product Drawings
MCP COVER ASSY32P

English

CAD Files

Customer View Model ENG_CVM_1534184-1_C1.3d_igs.zip



English

Customer View Model

ENG_CVM_1534184-1_C1.3d_stp.zip

English

Customer View Model

ENG_CVM_1534184-1_C1.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English