

1544967-1 ✓ ACTIVE

NG Power Terminals and Connectors, NG1

TE Internal #: 1544967-1

Automotive Terminals, Tab, Mating Tab Width 8 mm [.315 in], Tab Thickness .039 in [1 mm], 13 – 11 AWG Wire Size, NG Power Terminals and Connectors

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals



Terminal Type: **Tab**

Mating Tab Width: **8 mm [.315 in]**

Mating Tab Thickness: **1 mm [.039 in]**

Terminal Transmits: **25 – 40 A (Power)**

Wire Size: **13 – 11 AWG**

Features

Product Type Features

Sealable	Yes
Primary Locking Feature	Clean Body

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Contact Size	8mm
Contact Fabrication	Stamped & Formed
Typical Current Rating	40 A
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	8 mm [.315 in]
Mating Tab Thickness	1 mm [.039 in]
Interface Plating	Tin (Sn)

Termination Features



Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	2.5 – 4 mm ²
Wire Size Search	11 AWG, 12 AWG, 13 AWG
Wire Insulation Diameter	2.8 – 3.9 mm [.11 – .154 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F][293 °F][302 °F]
Operating Temperature Range	-40 – 150 °C [-40 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	1100

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free













Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 1544334-1 PL 2V 8MM NG1 MONT</p>	 <p>TE Part # 1544980-1 TAB HOUSING, 8MM NG1 PLUS, 2 WAY</p>	 <p>TE Part # 1544970-1 SEAL, NG9K</p>	 <p>TE Part # 1544334-2 PL 2V 8MM NG1 MONT</p>
 <p>TE Part # 1544334-3 PL 2V 8MM NG1 MONT</p>	 <p>TE Part # 1544980-2 TAB HOUSING, 8MM NG1 PLUS, 2 WAY</p>	 <p>TE Part # 1544980-3 TAB HOUSING, 8MM NG1 PLUS, 2 WAY</p>	 <p>TE Part # 1544980-4 TAB HOUSING, 8MM NG1 PLUS, 2 WAY</p>
 <p>TE Part # 2-2836055-2 OCEAN_2.0_Applicator-S-165F244OV</p>	 <p>TE Part # 2-2837492-2 OCEAN-2.0-APPLICATOR-S-165F193OVA</p>	 <p>TE Part # 2836055-2 OCEAN_2.0_Applicator-S-165F244OV</p>	 <p>TE Part # 2837492-2 OCEAN-2.0-APPLICATOR-S-165F193OVA</p>



KIT

REPRESENTATION ONLY

TE Part # 7-2836055-7
OCEAN_2.0_SPARE_PART_KIT-165F244OV



TE Part # 7-2837492-2
OCEAN-2.0-APPLICATOR-S-165F193OVA




KIT


REPRESENTATION ONLY

TE Part # 7-2837492-7
OCEAN_2.0_SPARE_PART_KIT-165F193OV

Also in the Series | **NG Power Terminals and Connectors**




Automotive Connector Caps & Covers (2)




Automotive Housings(56)



Automotive Seals & Cavity Plugs(7)




Automotive Terminals(26)




Insertion & Extraction Tools(13)

Also in the Series | **NG1**




Automotive Connector Caps & Covers (2)



Automotive Housings(47)



Automotive Seals & Cavity Plugs(8)



Automotive Terminals(18)



Insertion & Extraction Tools(12)

Customers Also Bought



TE Part #1544980-1
TAB HOUSING, 8MM NG1 PLUS, 2
WAY



TE Part #1544968-1
TAB, 8MM NG1 PLUS



TE Part #1544970-2
SEAL, NG9K

Documents

Product Drawings

TAB, 8MM NG1 PLUS

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1544967-1_A.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1544967-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1544967-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English