
# 1587940-3 - ACTIVE

### HVA 280

TE Internal #: 1587940-3 Other Automotive Connector Accessories, Other, PA GF, Gray, -40 – 140 °C [-40 – 284 °F], HVA 280

### View on TE.com >

Connectors > Automotive Connectors > Connector Accessories > Other Connector Accessories



Automotive Connector Accessory Type: Other

Primary Product Material: PA GF

Primary Product Color: Gray

Operating Temperature Range: -40 – 140 °C [-40 – 284 °F]

## Features

### **Product Type Features**



Automotive Connector Accessory Type	Other
Body Features	
Primary Product Material	PA GF
Primary Product Color	Gray
Usage Conditions	
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Industry Standards	
UL Flammability Rating	None
Packaging Features	
Packaging Quantity	500
Packaging Method	Box
Other	
Serviceable	No

## Product Compliance

**C** For support call+1 800 522 6752

### 1587940-3

Other Automotive Connector Accessories, Other, PA GF, Gray, -40 – 140 °C [-40 – 284 °F], HVA 280



#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Saldar Dragona Canability	Net reviewed for colder process appebility	

#### Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




### 1587940-3

Other Automotive Connector Accessories, Other, PA GF, Gray, -40 – 140 °C [-40 – 284 °F], HVA 280






## Also in the Series | HVA 280



Electric, Hybrid	d & Fuel Cell Cable	High Voltage Wire Processing	Other Automotive Connector	PCB Headers & Receptacles(36)	
Assemblies(6)		Equipment(7)	Accessories(37)		

## Customers Also Bought



## 1587940-3

Other Automotive Connector Accessories, Other, PA GF, Gray, -40 – 140 °C [-40 – 284 °F], HVA 280





## Documents

## Product Drawings CABLE SEAL RETAINER, SIZE C

English

### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1587940-3\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1587940-3\_A.3d\_igs.zip

English

Customer View Model

## ENG\_CVM\_CVM\_1587940-3\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HEMS Product Overview

English