


#### HVA 280

TE Internal #: 1587940-2 Other Automotive Connector Accessories, Other, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280

#### View on TE.com >

Connectors > Automotive Connectors > Connector Accessories > Other Connector Accessories



Automotive Connector Accessory Type: Other

Primary Product Material: PA

Primary Product Color: Orange

Operating Temperature Range: -40 – 125 °C [-40 – 257 °F]

### Features

### **Product Type Features**



Automotive Connector Accessory Type	Other			
Body Features				
Primary Product Material	PA			
Primary Product Color	Orange			
Usage Conditions				
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]			
Industry Standards				
Industry Standard	LV214/LV215			
UL Flammability Rating	UL 94HB			
Packaging Features				
Packaging Quantity	500			
Packaging Method	Box			
Other				
Serviceable	No			

### 1587940-2

Other Automotive Connector Accessories, Other, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280



# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Saldar Dragona Canability	Not reviewed for colder process comphility		

#### Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




#### 1587940-2

Other Automotive Connector Accessories, Other, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280






# Also in the Series | HVA 280



Electric, Hybrid & Fuel Cell Cable	High Voltage Wire Processing	Other Automotive Connector	PCB Headers & Receptacles(36)	
Assemblies(6)	Equipment(7)	Accessories(37)		

# Customers Also Bought



### 1587940-2

Other Automotive Connector Accessories, Other, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280



TE Part #2310540-1 HVA280 2P HEADER ASSY, KEY A TE Part #2310540-4 HVA280 2P HEADER ASSY, KEY D

# Documents

# Product Drawings CABLE SEAL RETAINER, SIZE B

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1587940-2\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1587940-2\_A.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_1587940-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HEMS Product Overview

English