


TABLE OF CONTENTS	
SHEET NO.	SHEET DESCRIPTION
1	NOTES AND BOM
2	CONFIGURATIONS
3-4	KEY CONFIGURATIONS
5	RECEPTACLE CONNECTOR ASSEMBLY
6	2X10 CONNECTOR INTERFACE DEFINITION

NOTES: VALID UNLESS OTHERWISE SPECIFIED


1. GENERAL:
- a. APPLICATION SPECIFICATION SEE: AS-33472-100
    - CONTAINS: PRODUCT INTRODUCTION, PRODUCT SUMMARY, CONNECTOR ASSEMBLY, PACKAGING INFORMATION, CONNECTOR MATING, SERVICE INSTRUCTIONS, ELECTRICAL CONTINUITY CHECKING, CRIMPING, AND TROUBLESHOOTING.
    - DESIGNED TO MATE WITH DEVICE OR CONNECTOR AS SPECIFIED IN THE MATING INTERFACE/CONNECTOR DRAWINGS CHART.
    - DENOTES DRAWINGS THAT CAN BE ACCESSED AT <http://ewcop.uscarteams.org/>.
    - ASSEMBLY SHIPPED WITH PLR IN PRE-LOCK POSITION (SEE PLR PRE-LOCK VIEW SHEET 5).
  - b. PRODUCT SPECIFICATION SEE: PS-160008-0001
    - CONTAINS: SCOPE, PRODUCT DESCRIPTION, INTEGRAL COMPONENTS AND ACCESSORIES, APPLICABLE DOCUMENTS AND SPECIFICATIONS, RATINGS, PERFORMANCE, PACKAGING, GAUGES AND FIXTURES, AND OTHER INFORMATION.
  - c. PACKAGING SPECIFICATION PER MOLEX DRAWING: SEE PACKAGING CHART.
  - d. PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: QEH5-699000-300
  - e. DATA MUST BE SUBMITTED UNDER THE MOLEX PART NUMBER TO IMDS (COMPANY ID#13255)
2. DESIGN - MATERIALS:
- a. SEE BOM TABLE IN SD-160008-0002
3. DESIGN - GEOMETRY:
- a. THE 3-D CAD DATA IS BASIC (WITHOUT TOLERANCE) AND MASTER FOR THIS PART WITH THE EXCEPTION OF UNDERLINED DIMENSIONS. DIMENSIONAL INFORMATION NOT SHOWN ON THIS DRAWING IS DEFINED BY THE DATA FILE AT ITS LATEST REVISION.
  - b. GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M-2009
  - c. EDGES AND UNDIMENSIONED DETAILS PER ISO13715
  - d. CORNERS SHOWN AS SHARP TO BE R 0.2 MAX.
  - e. LETTERING SHALL BE 0.15 MAX RAISED IN 0.25 MAX RECESS PAD. THIS INCLUDES RECYCLING CODE, CAVITY ID, VENDOR IDENTIFICATION, AND CUSTOMER MATERIAL NUMBER.
  - f. VISUAL DEFECTS SHALL MEET COSMETIC STANDARD PS-45499-002 (Class B).
  - g. LASER MARKING:
    - 1. PART NUMBER
    - 2. DAY OF THE YEAR
    - 3. SHIFT
    - 4. YEAR
- FOR ADDITIONAL INFORMATION SEE SECTION 5 UNDER PROCEDURES IN ES-34735-008.

PACKAGING	
DESCRIPTION	DRAWING NO.
2X2	TBD
2X3	TBD
2X4	PK-33472-001
2X6	PK-31300-903
2X8	TBD
2X10	PK-31300-903


MATING INTERFACE/CONNECTOR DRAWINGS		
DESCRIPTION	INTERFACE DEFINITION	MOLEX INLINE
2X2	*150-S-004-2-Z02	TBD
2X3	*150-S-006-2-Z02	TBD
2X4	*150-S-008-2-Z02	SD-160011-0001
2X6	*150-S-012-2-Z01	SD-160011-0001
2X8	*150-S-016-2-Z01	TBD
2X10	E-160008-0001	SD-160011-0001




2X4



2X6



2X10




A4	UPDATED INTERFACE SHEET
A3	ADDED SHEET 6 & UPDATED PASS THRU
A2	UPDATED NOTES
A1	UPDATED DIM 4
A	INITIAL RELEASE

INSPECTION NUMBER LOG
LAST NUMBER:
ADDED:
REMOVED:


<b>ENTER DESCRIPTION</b> EC NO: UA102016-0706 DRW:KBORUSZEWSKI (2015/11/09) CHKD: APPR:VKOSHY A4	DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>1.5:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION	
	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.2 ± --- 0 PLACE ± --- ± ---	DRAWN BY KBORUSZEWSKI 2014/02/19	DATE 2014/03/05	TITLE <b>MX150 GEN 2 RECEPTACLE DUAL ROW SEALED ASSEMBLY MAT SEAL</b>
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	APPROVED BY VKOSHY	MATERIAL NO. SEE NOTE 2a.	DOCUMENT NO. SD-160008-0001	SHEET NO. 1 OF 6
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

**SHEET DESCRIPTION**

CONFIGURATIONS




2X4  
STANDARD




2X4  
WITH CLIPSLOT \*




2X6  
STANDARD



2X6  
WITH CLIPSLOT \*



2X10  
STANDARD




2X10  
WITH CLIPSLOT \*

\* WITH CLIPSLOT CONFIGURATION DOES NOT MEET THE USCAR PACKAGING FRAME REQUIREMENTS.

<b>ENTER DESCRIPTION</b> EC NO: UAU2016-0706 DRAWN BY: KBORUSZEWSKI 2015/11/09 CHKD: APPR: VKOSHY 2015/11/10 REV: A4	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.2 ± --- 0 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE <b>MM ONLY</b> DRAWN BY: KBORUSZEWSKI 2014/02/19 CHECKED BY: DATE APPROVED BY: VKOSHY 2014/03/05 DATE MATERIAL NO.	SCALE <b>2.5:1</b> DESIGN UNITS <b>METRIC</b> THIRD ANGLE PROJECTION	TITLE <b>MX150 GEN 2 RECEPTACLE                  DUAL ROW SEALED ASSEMBLY                  MAT SEAL</b> <b>molex</b> DOCUMENT NO. <b>SD-160008-0001</b>	SHEET NO. 2 OF 6	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE NOTE 2a.	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	SIZE 1						

**SHEET DESCRIPTION**  
KEY CONFIGURATIONS




<b>ENTER DESCRIPTION</b> EC NO: UA12016-0706 DR:WKBORUSZEWSKI 2015/11/09 CHKD: APPR:VKOSHY 2015/11/10	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.2 ± --- 0 PLACE ± --- ± --- ANGULAR ± 3°	DIMENSION STYLE <b>MM ONLY</b> DRAWN BY DATE KBORUSZEWSKI 2014/02/19 CHECKED BY DATE APPROVED BY DATE VKOSHY 2014/03/05	SCALE <b>3:1</b> DESIGN UNITS <b>METRIC</b> THIRD ANGLE PROJECTION	TITLE <b>MX150 GEN 2 RECEPTACLE                  DUAL ROW SEALED ASSEMBLY                  MAT SEAL</b> <b>molex</b>	DOCUMENT NO. <b>SD-160008-0001</b>	SHEET NO. <b>3 OF 6</b>
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE NOTE 2a.	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
	A4	SIZE 1					


**SHEET DESCRIPTION**

KEY CONFIGURATIONS CONT.


**2X6**




KEY A



KEY B




KEY C




KEY D


**2X10**




KEY A



KEY B



KEY C







KEY D

<b>ENTER DESCRIPTION</b> EEC NO: UA02016-0706 DRAWN: KBORUSZEWSKI 2015/11/09 CHKD: APPR: VKOSHY 2015/11/10 DESCRIPTION REV:	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	∇=0 ∇=0 ∇=0	mm    INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.2 ± --- 0 PLACE ± --- ± --- ANGULAR ± 3 °	MM ONLY DRAWN BY DATE KBORUSZEWSKI 2014/02/19 CHECKED BY DATE APPROVED BY DATE VKOSHY 2014/03/05 MATERIAL NO. SEE NOTE 2a. THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	3:1 METRIC	MX150 GEN 2 RECEPTACLE DUAL ROW SEALED ASSEMBLY MAT SEAL <b>molex</b> DOCUMENT NO. SD-160008-0001	SHEET NO. 4 OF 6

**SHEET DESCRIPTION**  
RECEPTACLE CONNECTOR ASSEMBLY

DESCRIPTION	DIMENSIONS			
	A	B	C	D
2X2 STANDARD	TBD	TBD	TBD	TBD
2X2 W/ CLIPSLOT	TBD	TBD	TBD	TBD
2X3 STANDARD	TBD	TBD	TBD	TBD
2X3 W/ CLIPSLOT	TBD	TBD	TBD	TBD
2X4 STANDARD	14.24	1.75	29.9	10.92
2X4 W/ CLIPSLOT	14.24	1.75	31.1	13.81
2X6 STANDARD	TBD	TBD	36.3	TBD
2X6 W/ CLIPSLOT	TBD	TBD	36.3	TBD
2X8 STANDARD	TBD	TBD	TBD	TBD
2X8 W/ CLIPSLOT	TBD	TBD	TBD	TBD
2X10 STANDARD	24.75	1.75	49.8	10.92
2X10 W/ CLIPSLOT	24.75	1.75	49.8	13.81


LASER MARKING ON THIS SURFACE  
SEE NOTE 3g.




MOLD CAVITY I.D. THIS LOCATION

MANUFACTURING LOCATION CODE THIS LOCATION


RECYCLE CODE THIS LOCATION



2.73+0.50  
⑥



PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN PRE-STAGED POSITION  
**SECTION Z-Z**



PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN FINAL-LOCK POSITION  
**SECTION Y-Y**


<b>ENTER DESCRIPTION</b> EC NO: UAJ2016-0706 DRWNR:KBORUSZEWSKI   2015/11/09 CHYK: APPR:VKOSHY 2015/11/10 A4	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± --- ± ---	MM ONLY	3:1	METRIC	☉
	▽=0.1	3 PLACES ± --- ± ---				
	▽=0.2	2 PLACES ± 0.10 ± ---				
	1 PLACE ± 0.2 ± ---	ANGULAR ± 3°				
	0 PLACE ± --- ± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
			DRAWN BY DATE	TITLE		
			KBORUSZEWSKI   2014/02/19	MX150 GEN 2 RECEPTACLE DUAL ROW SEALED ASSEMBLY MAT SEAL		
			CHECKED BY DATE	DOCUMENT NO.		
				SD-160008-0001		
			APPROVED BY DATE	SHEET NO.		
			VKOSHY   2014/03/05	5 OF 6		
			MATERIAL NO.	SEE NOTE 2a.		
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

**SHEET DESCRIPTION**  
2X10 CONNECTOR INTERFACE DEFINITION

SEE THE FINAL SHEET ON SD-33472-0001  
FOR 2X10 CONNECTOR INTERFACE DEFINITION

<b>ENTER DESCRIPTION</b> EC NO: UA02016-0706 DRWN:KBORUSZEWSKI 2015/11/09 CHKD: APPR:VKOSHY 2015/11/10 REV:	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION
	▽=0	mm	INCH	DRAWN BY	DATE	TITLE		
	▽=0	4 PLACES ± --- ± ---	KBORUSZEWSKI	2014/02/19	MX150 GEN 2 RECEPTACLE DUAL ROW SEALED ASSEMBLY MAT SEAL			
	▽=0	3 PLACES ± --- ± ---	CHECKED BY	DATE	<b>molex</b>			
▽=0	2 PLACES ± 0.10 ± ---	APPROVED BY	DATE	DOCUMENT NO.	SHEET NO.			
▽=0	1 PLACE ± 0.2 ± ---	VKOSHY	2014/03/05	SD-160008-0001	6 OF 6			
	0 PLACE ± --- ± ---	MATERIAL NO.						
	ANGULAR ± 3 °	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE NOTE 2a.		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
		SIZE						
		A 1						

MX150 GEN 2 RECEPTACLE 2X4 SEALED ASSEMBLY MAT SEAL  
BOM AND PIN OUT SHEET



ABBREVIATION	DESCRIPTION	COLOR	MATERIAL
A-BLK	HOUSING KEYING OPTION A	BLACK	SPS/NYLON GF20
B-LG	HOUSING KEYING OPTION B	LIGHT GRAY	SPS/NYLON GF20
C-DG	HOUSING KEYING OPTION C	DARK GRAY	SPS/NYLON GF20
D-SG	HOUSING KEYING OPTION D	STONE GRAY	SPS/NYLON GF20
A-BLK-CLIP	HOUSING KEYING OPTION A WITH CLIPSLOT	BLACK	SPS/NYLON GF20
B-LG-CLIP	HOUSING KEYING OPTION B WITH CLIPSLOT	LIGHT GRAY	SPS/NYLON GF20
C-DG-CLIP	HOUSING KEYING OPTION C WITH CLIPSLOT	DARK GRAY	SPS/NYLON GF20
D-SG-CLIP	HOUSING KEYING OPTION D WITH CLIPSLOT	STONE GRAY	SPS/NYLON GF20
GCP	GROMMET CAP (PLUGGED)	BLACK	SPS/NYLON GF20
GCO	GROMMET CAP (OPEN)	BLACK	SPS/NYLON GF20
PLR	PLR	NATURAL	SPS/NYLON GF20
CPA	CPA	RED	PBT GF20
M	MAT SEAL	LIGHT BLUE	INHERENTLY LUBRICATED SILICONE
R	RING SEAL	GREEN	INHERENTLY LUBRICATED SILICONE

FOR ADDITIONAL INFORMATION SEE E-160008-0001

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT						BLOCKED TERMINALS								STATUS	COMMENTS	OPTIONAL ATTACHMENTS SOLD SEPARATELY		
		THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.						CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION										BACKSHELL WITH RIBS	BACKSHELL WITHOUT RIBS	
		HOUSING KEY/COLOR	GROMMET CAP	PLR	CPA	MAT SEAL	RING SEAL	1	2	3	4	5	6	7	8					
KEY A, BLACK, W/O CPA	160008-4001	A-BLK	GCO	PLR		M	R										SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY B, LIGHT GRAY, W/O CPA	160008-4002	B-LG	GCO	PLR		M	R										SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY C, DARK GRAY, W/O CPA	160008-4003	C-DG	GCO	PLR		M	R										SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY D, STONE GRAY, W/O CPA	160008-4004	D-SG	GCO	PLR		M	R										SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4005																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4006																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY A, BLACK, W/O CPA	160008-4007	A-BLK	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY B, LIGHT GRAY, W/O CPA	160008-4008	B-LG	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY C, DARK GRAY, W/O CPA	160008-4009	C-DG	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY D, STONE GRAY, W/O CPA	160008-4010	D-SG	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4011																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4012																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY A, BLACK, W/CPA	160008-4013	A-BLK	GCO	PLR	CPA	M	R										OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
KEY B, LIGHT GRAY, W/CPA	160008-4014	B-LG	GCO	PLR	CPA	M	R										OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
KEY C, DARK GRAY, W/CPA	160008-4015	C-DG	GCO	PLR	CPA	M	R										OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
KEY D, STONE GRAY, W/CPA	160008-4016	D-SG	GCO	PLR	CPA	M	R										OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4017																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4018																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY A, BLACK, W/CPA	160008-4019	A-BLK	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
KEY B, LIGHT GRAY, W/CPA	160008-4020	B-LG	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
KEY C, DARK GRAY, W/CPA	160008-4021	C-DG	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
KEY D, STONE GRAY, W/CPA	160008-4022	D-SG	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4023																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
NOT CURRENTLY AVAILABLE	160008-4024																NOT CURRENTLY AVAILABLE		DESIGN CONCEPT	DESIGN CONCEPT
KEY A, BLACK, WITH CLIPSLOT, W/O CPA	160008-4025	A-BLK-CLIP	GCO	PLR		M	R										SALEABLE		NOT AVAILABLE	NOT AVAILABLE
KEY B, LIGHT GRAY, WITH CLIPSLOT, W/O CPA	160008-4026	B-LG-CLIP	GCO	PLR		M	R										SALEABLE		NOT AVAILABLE	NOT AVAILABLE
KEY C, DARK GRAY, WITH CLIPSLOT, W/O CPA	160008-4027	C-DG-CLIP	GCO	PLR		M	R										SALEABLE		NOT AVAILABLE	NOT AVAILABLE
KEY D, STONE GRAY, WITH CLIPSLOT, W/O CPA	160008-4028	D-SG-CLIP	GCO	PLR		M	R										SALEABLE		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4029																NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4030																NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
KEY A, BLACK, WITH CLIPSLOT, W/O CPA	160008-4031	A-BLK-CLIP	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		NOT AVAILABLE	NOT AVAILABLE
KEY B, LIGHT GRAY, WITH CLIPSLOT, W/O CPA	160008-4032	B-LG-CLIP	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		NOT AVAILABLE	NOT AVAILABLE
KEY C, DARK GRAY, WITH CLIPSLOT, W/O CPA	160008-4033	C-DG-CLIP	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		NOT AVAILABLE	NOT AVAILABLE
KEY D, STONE GRAY, WITH CLIPSLOT, W/O CPA	160008-4034	D-SG-CLIP	GCP	PLR		M	R	1	2	3	4	5	6	7	8		SALEABLE		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4035																NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4036																NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
KEY A, BLACK, WITH CLIPSLOT, W/CPA	160008-4037	A-BLK-CLIP	GCO	PLR	CPA	M	R										OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
KEY B, LIGHT GRAY, WITH CLIPSLOT, W/CPA	160008-4038	B-LG-CLIP	GCO	PLR	CPA	M	R										OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
KEY C, DARK GRAY, WITH CLIPSLOT, W/CPA	160008-4039	C-DG-CLIP	GCO	PLR	CPA	M	R										OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
KEY D, STONE GRAY, WITH CLIPSLOT, W/CPA	160008-4040	D-SG-CLIP	GCO	PLR	CPA	M	R										OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4041																NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4042																NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
KEY A, BLACK, WITH CLIPSLOT, W/CPA	160008-4043	A-BLK-CLIP	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
KEY B, LIGHT GRAY, WITH CLIPSLOT, W/CPA	160008-4044	B-LG-CLIP	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
KEY C, DARK GRAY, WITH CLIPSLOT, W/CPA	160008-4045	C-DG-CLIP	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
KEY D, STONE GRAY, WITH CLIPSLOT, W/CPA	160008-4046	D-SG-CLIP	GCP	PLR	CPA	M	R	1	2	3	4	5	6	7	8		OK TO TOOL		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4047					M	R										NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
NOT CURRENTLY AVAILABLE	160008-4048					M	R										NOT CURRENTLY AVAILABLE		NOT AVAILABLE	NOT AVAILABLE
KEY A, BLACK, W/O CPA	160008-4049	A-BLK	GCP	PLR		M	R			4	5						SALEABLE		NOT AVAILABLE	NOT AVAILABLE
KEY A, BLACK, W/O CPA	160008-4050	A-BLK	GCP	PLR		M	R				5	6			8		SALEABLE		NOT AVAILABLE	NOT AVAILABLE

