

# Crimp-Validation

# DELPHI

product: DELPHI PN 15440181  
 material: CUNISI  
 surface: F.SN3  
 material thickness: 0,25 mm  
 cross section [mm²]: 0,75

strip length: 3,50 mm  
 cable type: FLU142Y  
 insulation ø [mm]: 1,45 - 1,60  
 seal:

**Uncontrolled  
Copy**  
For Information only!


conductor dimension					crimp dimension [mm]					
cable type	cross sect. [mm²]	struct. n x d [mm]	insul. diam. [mm]	tear-out force [N]	core		insulation			
					height ± 0,05	width ± 0,10	height ± 0,10	width ± 0,10	height ± tol.	width ± tol.
FLU142Y	0,75	19 x 0,24	1,52	120	1,20	1,65	1,90	2,05		

core:  
 C-1.60-2.5-10  
 DPN 10713763


insulation:  
 IS-2.00-2.0-12  
 DPN 10803481

anvil:

two piece anvil:  
 AC-1.60-2.75-A  
 DPN 10764132  
  
 AI-2.00-2.8-0.2  
 DPN 10804102



DELPHI PN 15440181



cable:

0,75 mm<sup>2</sup> = 19 x 0,24 mm

crimp height:

1,20 mm

crimp width:

1,65 mm