

SHUR-PLUG 180

TE Internal #: 170021-2

Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Pin Diameter 4.7 mm [.

185 in], 20 – 14 AWG Wire Size, .5 – 2.27 mm² Wire Size, SHUR-

PLUG 180

View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules











Crimp Wire Pin, Tab & Ferrule Terminal Type: Shur-Plug

Pin Diameter: 4.7 mm [.185 in]

Accepts Wire Insulation Diameter Range: 2.2 – 3.1 mm, 3.1 mm [.087 – .122 in, .122 in]

Wire Size: .5 – 2.27 mm²

Features

Product Type Features	
Compatible With Discrete Wire Type	Stranded
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Crimp Wire Pin, Tab & Ferrule Terminal Type	Shur-Plug
Barrel Type	Open
Terminal Plating Material	Tin
Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Pin Diameter	4.7 mm[.185 in]

2.2 – 3.1 mm, 3.1 mm[.087 – .122 in][.122 in]

1021 – 4106 CMA

Wire Size

Accepts Wire Insulation Diameter Range



Terminal Material Thickness	.4 mm[.016 in]
Overall Product Length	18 mm[.708 in]
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Heavy Duty	No
Packaging Features	
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | SHUR-PLUG 180







7) Special Purpose Terminals(1)

Crimp Wire Pins, Tabs & Ferrules(37)


Customers Also Bought



TE Part #174354-2 ECONOSEAL, CONNECTOR HOUSING



TE Part #170889-2 SLEEVE DIA3 SHUR PLUG NAT



TE Part #170887-3
IS SHUR PLG 5 DIA NAT











Documents

Product Drawings

SHUR PLUG RECEPTACLE 20-16 AWG TPBR

Japanese

CAD Files

Customer View Model

ENG_CVM_CVM_170021-2_D.2d_dxf.zip



English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_170021-2_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_170021-2_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

No title

English

Product Environmental Compliance

MD_170021-2_0504201720_dmtec

English

MD_170021-2_0504201720_dmtec

English