

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 1670720-6

Other Automotive Connector Accessories, Mounting Clips, Wire-to-

Wire, PBT GF, Gray, 6 / 8 / 7 Position, Heavy Duty Sealed

Connector Series

View on TE.com >



Connectors > Automotive Connector > Connector Accessories > Other Connector Accessories > Heavy Duty Sealed Connector Series Fixing Slides











Automotive Connector Accessory Type: Mounting Clips

Connector System: Wire-to-Wire Primary Product Material: PBT GF Primary Product Color: Gray Number of Positions: 2, 6, 7, 8

All Heavy Duty Sealed Connector Series Fixing Slides (21)

Features

Product Type Features

Product Type Features	
Automotive Connector Accessory Type	Mounting Clips
Connector System	Wire-to-Wire
Configuration Features	
Number of Positions	2, 6, 7, 8
Body Features	
Primary Product Material	PBT GF
Primary Product Color	Gray
Usage Conditions	
Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 - 140 °C[-40 - 140 °F]

UL 94V-0

Industry Standards

UL Flammability Rating



Packaging Features

Packaging Quantity	1000
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Heavy Duty Sealed Connector Series





Automotive Connector Caps & Covers (25)



Automotive Housings(197)



Automotive Seals & Cavity Plugs(5)



Data Connectivity Headers(2)



Data Connectivity Housings(18)



Other Automotive Connector Accessories(22)

Customers Also Bought



TE Part #2112166-3 LEAVYSEAL LOCKING SLIDES



TE Part #1703838-1 Heavy Duty Sealed Connector Series Fixing Slides



TE Part #1823444-1 ADAPTER,FOR A-PILLAR,ASSY



TE Part #87805-000 PSS-X1379B WITH BRACKET TE Part #920-062-209 GPS 1890 LP/S/FAKRA/3.0

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1670720-6_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1670720-6_L.3d_igs.zip

Other Automotive Connector Accessories, Mounting Clips, Wire-to-Wire, PBT GF, Gray, 6 / 8 / 7 Position, Heavy Duty Sealed Connector Series



English

Customer View Model

ENG_CVM_CVM_1670720-6_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English