




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: .32 – .82 mm²

Mating Tab Width: 4.75 mm [.187 in]

Mating Tab Thickness: .51 mm [.02 in]

Features

Product Type Features

Terminates To	Wire & Cable
Wire Stop	No
Wire/Cable Type	Regular Wire
Insertion Force	Low
Sealable	No

Configuration Features

Connection Capacity	Single
---------------------	--------

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	4.75 mm [.187 in]
Mating Tab Thickness	.51 mm [.02 in]
Terminal Orientation	Flag
Contact Base Material	Brass
Terminal Plating Material	Unplated
Crimp Type	F-Crimp



Barrel Type	Open
-------------	------

Mechanical Attachment

Mating Retention Type	Dimple
-----------------------	--------

Wire Insulation Support	With
-------------------------	------

Dimensions

Accepts Wire Insulation Diameter Range	1.52 – 2.8 mm [.06 – .11 in]
--	------------------------------

Overall Length	11.3 mm [.444 in]
----------------	-------------------

Receptacle Terminal Stock Thickness	.33 mm [.013 in]
-------------------------------------	------------------

Wire Size	.32 – .82 mm ²
-----------	---------------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]
-----------------------------	-----------------------------

Industry Standards

UL Rating	Listed
-----------	--------

Packaging Features

Packaging Quantity	15000
--------------------	-------

Packaging Method	Strip/Reel
------------------	------------

Other

Line	Budget
------	--------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
--	--

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 63405-2
187 FASTON FLAG REC 22-18 AWG BR



TE Part # 2-2150397-1
OCEAN_2.0_Applicator-E-070F1400



TE Part # 2-2150397-2
OCEAN_2.0_Applicator-E-070F1400-A



TE Part # 2-2150447-1
OCEAN_2.0_Applicator-E-070F1100V



TE Part # 2-2150447-2
OCEAN_2.0_Applicator-E-070F1100V



TE Part # 2150397-1
OCEAN_2.0_Applicator-E-070F1400



TE Part # 2150397-2
OCEAN_2.0_Applicator-E-070F1400-A



TE Part # 2150447-1
OCEAN_2.0_Applicator-E-070F1100V



TE Part # 2150447-2
OCEAN_2.0_Applicator-E-070F1100V



TE Part # 63188-1
187 FASTON FLAG REC 22-18 AWG TPBR



TE Part # 7-2150397-1
OCEAN_2.0_Applicator-E-070F1400



TE Part # 7-2150397-2
OCEAN_2.0_Applicator-E-070F1400-A



KIT

REPRESENTATION ONLY

TE Part # 7-2150397-7
OCEAN_2.0_SPARE_PART_KIT-180F250F

TE Part # 7-2150447-1
OCEAN_2.0_Applicator-E-070F110OV

TE Part # 7-2150447-2
OCEAN_2.0_Applicator-E-070F110OV

KIT

REPRESENTATION ONLY

TE Part # 7-2150447-7
OCEAN_2.0_SPARE_PART_KIT-070F110OV

TE Part # 2150572-1
OC-AT-E-FM-070F140O-001-0046

TE Part # 2150572-2
OC-AT-E-FA-070F140O-001-0046

TE Part # 2-2150572-1
OC-PA-E-FM-070F140O-001-0046

TE Part # 2-2150572-2
OC-PA-E-FA-070F140O-001-0046

Also in the Series | **FASTON 187**

Crimp Terminal Housings(41)

Insertion & Extraction Tools(1)

Joints & Splices(1)

PCB Terminals(48)

Quick Disconnects(214)

Splices(1)


Customers Also Bought

TE Part #1742086-2
187 FASTON,FLAG,REC.,18-22 AWG, TPBR

TE Part #1719040-1
8POS GET MALE CONNECTOR W. 3 SB'S

TE Part #1-1633961-2
CRIMPER, INSULATION F PREMIUM


TE Part #1385725-1
.187 FLAG ULTRA POD



TE Part #4-1633932-0
ANVIL, COMBINATION



TE Part #5-2151493-1
OCEAN_2.0_APPLICATOR-S-055F0720




TE Part #1-1718645-9
4POS, MCON 1.2 LL REC SEALED



CRIMPER REPRESENTATION ONLY 3D
TE Part #1-1803246-5
CRIMPER, INSULATION F PREMIUM



ANVIL REPRESENTATION ONLY 3D
TE Part #4-662185-6
ANVIL, COMBINATION .070



TE Part #3-170823-8

Documents

Product Drawings

187 FASTON,FLAG,REC.,18-22 AWG,BR

English

CAD Files

Customer View Model

ENG_CVM_CVM_1742086-1_F.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1742086-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1742086-1_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

82004 FASTON Terminals (Insulated and Uninsulated) Catalog - FASTON Receptacles Section

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance



English

[Product Compliance](#)

English

[Agency Approvals](#)

[CSA Certificate](#)

English

[CSA Certificate](#)

English