

TE Internal #: 1746136-1 PCB Spring Contact, Box-Clip, Uncompressed Height 1.5 mm [.059 in], Length .134 in [3.4 mm], Width 2 mm [.079 in] View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > PCB Spring Contacts



Spring Finger Type: Box-Clip

Scalable: No

Side Protected: No

Uncompressed Height: 1.5 mm [.059 in]

Contact Length: 3.4 mm [.134 in]

Features

Product Type Features

Spring Finger Type	Box-Clip
Scalable	No
Connector System	Board-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Side Protected	No
Number of Positions	1
Contact Features	
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Gold
Contact Base Material	Copper Alloy
Contact Length	3.4 mm[.134 in]
Contact Width	2 mm[.079 in]
Contact Working Range (Low)	1.1 mm[.043 in]

C For support call+1 800 522 6752

1746136-1

PCB Spring Contact, Box-Clip, Uncompressed Height 1.5 mm [.059 in], Length .134 in [3.4 mm], Width 2 mm [.079 in]



Contact Working Range (High)	1.4 mm[.055 in]
Point of Contact Area Plating Material	Gold
Contact Current Rating (Max)	1.5 A
Dimensions	
Uncompressed Height	1.5 mm[.059 in]
Usage Conditions	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	5000
Packaging Method	Tape & Reel
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

1746136-1

PCB Spring Contact, Box-Clip, Uncompressed Height 1.5 mm [.059 in], Length .134 in [3.4 mm], Width 2 mm [.079 in]



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2108611-5 1.7H SPRING FINGER WITH EMBOSS

Customers Also Bought







Documents

Product Drawings SHIELD FINGER 1520 AU PL VERSION

Japanese

1746136-1

PCB Spring Contact, Box-Clip, Uncompressed Height 1.5 mm [.059 in], Length .134 in [3.4 mm], Width 2 mm [.079 in]



CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1746136-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_1746136-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_1746136-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Products for Mobile Equipment

English

Spring Fingers Quick Reference Guide

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English