

1747786-1 ✓ ACTIVE

TE Internal #: 1747786-1

DC Jack Connectors, Board-to-Board, 8 Position, 2 mm [.079 in]
Centerline, Receptacle, 30 VDC, Vertical, Printed Circuit Board,
Power & Signal

[View on TE.com >](#)



Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: **Board-to-Board**

Number of Positions: **8**

Centerline (Pitch): **2 mm [.079 in]**

Connector & Housing Type: **Receptacle**

Operating Voltage: **30 VDC**

Features

Product Type Features

Connector System	Board-to-Board
Connector & Housing Type	Receptacle
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	8
PCB Mount Orientation	Vertical

Electrical Characteristics

Operating Voltage	30 VDC
-------------------	--------

Contact Features

Contact Current Rating (Max)	6 A, 8 A
------------------------------	----------

Mechanical Attachment

PCB Mount Retention	With
PCB Mount Retention Type	Locating Post



Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	2 mm [.079 in]
--------------------	----------------

Usage Conditions

Operating Temperature Range	-20 – 80 °C [-4 – 176 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	70
--------------------	----

Packaging Method	Tray
------------------	------

Other

Comment	Reverse housing.
---------	------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
--	--

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--

Solder Process Capability	Reflow solder capable to 245°C
---------------------------	--------------------------------

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1747785-1
PACKING,PLUG ASSY. 8POS. 2MM PITCH BATTE



TE Part # 1932460-1
PLUG ASSY. 8POS. 2MM PITCH BATTERY CONNE



TE Part # 1747785-3
PACKING,PLUG ASSY. 8POS. 2MM PITCH BATTE




TE Part # 2201786-1
2mm pitch Battery Rec. Tray Assy. 8Pos.

Customers Also Bought



TE Part #2309407-1
DDR4 SODIMM 260P 4.0H STD



TE Part #5-147382-1
10 50/50 HDR SMT.320 W/HD SN



TE Part #1674459-4
Std USB Type A, R/A,T/H, Natural, HighDur



TE Part #3-1624112-7
3650 0402 6.8nH 5% 2K RL



TE Part #8-2176391-7
RQ 1206 97K6 0.1% 10PPM 5K RL



TE Part #HPP845E031R4
I.C 21D RH/T B400




TE Part #1932870-2
FBIS-II PLUG ASSY 6 POS, 1.27um Gold



TE Part #1582636002
CGAT-R-6/2-0



TE Part #1612963-4
2MM PITCH BATTERY REC. ASSY 10P, L=5



TE Part #8-324001-1
SPLICE,SOLIS BUTT STRAP 24-20

Documents

Product Drawings

PACKING,REC. ASSY. 8POS. 2MM PITCH BATTE



Japanese

CAD Files

3D PDF

English

Customer View Model

[ENG_CVM_1747786-1_O.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1747786-1_O.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1747786-1_O.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[POWER_CONNECTORS_CATALOG_SEC09_LAPTOPS_PORTABLES](#)

English

[2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1](#)

English

Product Specifications

Product Specification

Japanese

Product Environmental Compliance

[MD_1747786-1_01092012929](#)

English

[MD_1747786-1_01092012929](#)

English