




Connectors > Circular Connectors > Circular Connector Accessories > Circular Connector Keying Plugs



Compatible With Connector Cavity Type: **Pin Cavities**

Sealable: **No**

Circuit Application: **Power & Signal**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

| | |
|----------------|-------------|
| Product Type | Accessory |
| Accessory Type | Keying Plug |
| Sealable | No |

Body Features

| | |
|-------------------|------|
| Keying Plug Color | Gray |
|-------------------|------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|-----------------------------|----------------------------|

Operation/Application

| | |
|---------------------------------------|----------------|
| Compatible With Connector Cavity Type | Pin Cavities |
| Circuit Application | Power & Signal |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed |

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



TE Part #206036-8
RECEPT, SZ 17-16 CPC, W/INSERTS




TE Part #205311-3
20 DF SOCKET PLTD




TE Part #206306-5
CPC RECEPT ASSEMBLY SIZE 23-37



TE Part #193991-4
PIN ASSY. TPE XII



TE Part #206508-1
TYPE XII KEYING PLUG



TE Part #5745175-6
CABLE CLAMP KIT, SZ 5



TE Part #206425-5
17-3 RECPT. REV SEX, THRD INSRT



TE Part #66260-2
MALE CONTACT ASSY. (L.P.)



ANVIL REPRESENTATION ONLY

TE Part #1633923-7
ANVIL, COMBINATION



ANVIL REPRESENTATION ONLY

TE Part #6-1803249-3
ANVIL, COMBINATION

Documents

Product Drawings

[KEYING PLUG PIN CONT. 16-12](#)



English

Instruction Sheets

Instruction Sheet (U.S.)

English