
1827654-2 - ACTIVE

TE Internal #: 1827654-2 DC Jack Connectors, Board-to-Board, 7 Position, 2 mm [.079 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal

View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: Board-to-Board

Number of Positions: 7

Centerline (Pitch): 2 mm [.079 in]

Connector & Housing Type: Plug

Operating Voltage: 30 VDC

Features

Product Type Features

Connector System	Board-to-Board							
Connector & Housing Type	Plug							
Sealable	No							
Connector & Contact Terminates To	Printed Circuit Board							
Configuration Features								
Number of Positions	7							
PCB Mount Orientation	Right Angle							
Electrical Characteristics								
Operating Voltage	30 VDC							
Contact Features								
Contact Current Rating (Max)	6 A							
Mechanical Attachment								
PCB Mount Retention	With							
PCB Mount Retention Type	Boardlock							

1827654-2

DC Jack Connectors, Board-to-Board, 7 Position, 2 mm [.079 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal



Connector Mounting Type	Board Mount						
Housing Features							
Centerline (Pitch)	2 mm[.079 in]						
Usage Conditions							
Operating Temperature Range	-20 – 80 °C[-4 – 176 °F]						
Operation/Application							
Circuit Application	Power & Signal						
Packaging Features							
Packaging Quantity	80						
Packaging Method	Tray						
Product Compliance For compliance documentation, visit the product page on TE.com>							
EU RoHS Directive 2011/65/EU	Compliant						
EU ELV Directive 2000/53/EC	Compliant						
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold						
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022						

(224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed Not Low Halogen - contains Br or Cl > 900

ppm.

Wave solder capable to 265°C

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

L For support call+1 800 522 6752

1827654-2

DC Jack Connectors, Board-to-Board, 7 Position, 2 mm [.079 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal





TE Part # 1827685-3 2mm pitch Battery Rec. Assy. 7Pos. RVS.



TE Part # 1827685-4 2mm pitch Battery Rec. Assy. 7Pos. RVS.



TE Part # 1827684-3 2mm pitch Battery Rec. Assy. 7Pos. H=4.0



TE Part # 1827684-1 2mm pitch Battery Rec. Assy. 7Pos. H=4.0

Customers Also Bought



2mm pitch Battery Rec. Assy. 7Pos.	EMBOSS TAPE DDR3 204P 9.2H STD	2P MTA100 HDR ASSY,SM,FL,LF	UPM EXPANDED PIN ASSEMBLY
H=4.0			



Documents

Product Drawings 2mm pitch Battery Plug Assy. 7P. H=4.0

English

CAD Files

Customer View Model ENG_CVM_CVM_1827654-2_B2.2d_dxf.zip

English

3D PDF

& For support call+1 800 522 6752

1827654-2

DC Jack Connectors, Board-to-Board, 7 Position, 2 mm [.079 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal



3D

Customer View Model ENG_CVM_CVM_1827654-2_B2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1827654-2_B2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications Product Specification

English

Product Environmental Compliance TE Material Declaration

English