Our commitment. Your advantage.

My Account
Search

**Products** 

**Documentation** 

Resources

**My Account** 

**Customer Support** 

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Ribbon and Flat Flex Wire Connectors - Ribbon Cable</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

# 1761605-3 Product Details



## Pin and Pinless Headers (AMP-LATCH)

Always EU RoHS/ELV Compliant (Statement of Compliance)

## **Product Highlights:**

- Connector Type = Pin Header
- Low Profile
- Number of Positions = 10
- 2.54 x 2.54 mm Centerline, Matrix
- PCB Mount Angle = Right Angle

View all Features



Check Pricing & Availability
Search for Tooling
Product Feature Selector
Contact Us About This Product

#### 1761605-3

TE Internal Number: 1761605-3

<u>Superseded</u>

Search for Replacement Parts

View 3D PDF









# Documentation & Additional Information

#### **Product Drawings:**

HEADER ASSEMBLY, RIGHT ANGLE, LOW PROFILE, IDC (PDF, English)

### Catalog Pages/Data Sheets:

None Available

### **Product Specifications:**

• AMP-LATCH\* and IDC Header Connectors, .100 x .100 In... (PDF, English)

#### **Application Specifications:**

• None Available

## **Instruction Sheets:**

None Available

### CAD Files: (CAD Format & Compression Information)

- <u>2D Drawing</u> (DXF, Version F)
- <u>3D Model</u> (IGES, Version F)
- <u>3D Model</u> (STEP, Version F)

### **Additional Information:**

Product Line Information

### **Related Products:**

• <u>Tooling</u>

### Product Features (Please use the Product Drawing for all design activity)

### **Product Type Features:**

- Connector Type = Pin Header
- <u>Profile</u> = Low
- Number of Positions = 10
- <u>PCB Mount Angle</u> = Right Angle
- <u>PCB Retention Feature</u> = No
- <u>Mating Polarization Type</u> = Center
- <u>Mating Connector Lock</u> = Without
- <u>Housing Style</u> = 4-Sided
- <u>Ejection Latches</u> = Without
- Post Size (mm [in]) = 0.64 [.025]
- Shrouded = Yes
- Mating Polarization = With
- [Shrouded] End Dimension (mm [in]) = 3.81 [0.150]

# **Termination Related Features:**

- Termination Post Length (mm [in]) = 2.60 [0.102]
- Solder Tail Contact Plating = Tin over Nickel

# **Body Related Features:**

- <u>Centerline, Matrix (mm [in])</u> = 2.54 x 2.54 [.100 x .100]
- Daisy Chain = With

## Contact Related Features:

List all Documents

- Contact Mating Area Plating Material = Gold (30)
- Contact Shape = Square
- Contact Base Material = Phosphor Bronze

### **Housing Related Features:**

- Housing Material = Thermoplastic
- Housing Flammability Rating = UL 94V-0
- Housing Color = Black

### **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240?C, Wave solder capable to 260?C, Wave solder capable to 265?C
- RoHS/ELV Compliance History = Always was RoHS compliant

### Conditions for Usage:

• <u>Temperature Rating</u> = Standard

### Other:

• Brand = AMP